

Instituto Superior de Agronomia

Universidade Técnica de Lisboa

**Actividades desenvolvidas nas unidades de
investigação do ISA no triénio 2007-2009**

**Publicação de artigos em revistas internacionais e
livros/capítulos de livros de editoras internacionais**



Gabinete de Estudos e Planeamento

Junho/2010



- A. Agra, J. O. Cerdeira, D. Cardoso, M. Miranda and E. Rocha (2009). Solving huge size instances of the optimal diversity management problem, *Journal of Mathematical Sciences*, 161: 956-960.
- A. Aires, V. R. Mota, M. J. Saavedra, A. A. Monteiro, M. Simões, E. A. S. Rosa and R. N. Bennett (2009). Initial in vitro evaluations of the antibacterial activities of glucosinolate enzymatic hydrolysis products against plant pathogenic bacteria. *Journal of Applied Microbiology*, 106(6): 2096-2105.
- A. Cristina Figueiredo, Manuela Sim Sim, José G. Barroso, Luis G. Pedro, M. G. Esquível, Susana Fontinha, Lobo, C. and M. Stech (2009). Liverwort *Radula* species from Portugal: chemotaxonomical evaluation of volatiles composition. *Flavour and Fragrance Journal*, 24: 316-325.
- A. P. Oliveira, M. E. Pampulha, M. M. Neto and A. C. Almeida (2009). Enumeration and characterization of arsenic tolerant diazotrophic bacteria in a long-term heavy metal contaminated soil. *Water, Air, & Soil Pollution*, 200: 237-243.
- Abreu, M. M. & Magalhães, M. C. F. (2009). Phytostabilization of Soils in Mining Areas. Case Studies from Portugal. In Aachen, L., Eichmann, P. (Eds.), *Soil Remediation*. Nova Science Publishers, Inc. NY. 297-344.
- Afonso F. S., Neto M. M. M., Mendonça M. H., Pimenta G., Proença L. & Fonseca I. T. E. (2009). Copper corrosion in soil: influence of chloride contents, aeration and humidity. *Journal of Solid State Electrochemistry*, 13(11): 1757-1765.
- Aguiar, F. C.; Ferreira, M. T.; Albuquerque, A.; Rodríguez-González, P. & Segurado, P. (2009). Structural and functional responses from riparian vegetation to human disturbance: performance and scale-dependence. *Fundamental and Applied Limnology*, 175(3): 249–267.
- Allen R. G. & Pereira L. S. (2009). Estimating crop coefficients from fraction of ground cover and height. *Irrigation Science*, 28: 17-34.
- Almeida, A. & Tomé, M., (*in press*). Field sampling of cork value before extraction in Portuguese 'montados'. *Agroforestry Systems*. Online publication completed by 13-Dec-2009. DOI, 10.1007/s10457-009-9260-8.
- Alvarenga P., Gonçalves A. P., Fernandes R. M., de Varennes A., Vallini G., Duarte E. & Cunha-Queda A. C. (2009). Organic residues as immobilizing agents in aided phytostabilization: I Effects on soil characteristics. *Chemosphere*, 74: 1292-1300.
- Alvarenga P., Palma P., Gonçalves A. P., Fernandes R. M., de Varennes A., Vallini G., Duarte E. & Cunha-Queda A. C. (2009). Organic residues as immobilizing agents in aided phytostabilization: II Effects on soil biochemical and ecotoxicological characteristics. *Chemosphere*, 74: 1301-1308.
- Alvarenga, P.; Gonçalves, A. P.; Fernandes, R. M.; de Varennes, A.; Duarte, E.; Cunha-Queda, A.C. & Vallini, G. (2009). Reclamation of a mine contaminated soil using biologically reactive organic matrices. *Waste Management & Research*, 27: 101-111.
- Alves A., Schwanninger M. & Rodrigues J. (2009). Analytical pyrolysis: A direct method to determine the lignin content in wood. Part 3: Evaluation of species-specific and tissue-specific differences in lignin composition using Principal Component Analysis. *Journal of Analytical and Applied Pyrolysis*, 85: 30-37.
- Amador P., Fernandes R., Prudêncio C. & Brito L. (2009). Resistance to beta-lactams in bacteria Isolated from different types of Portuguese cheese, *International Journal of Molecular Sciences*, 10: 1538-1551.
- Amâncio S., Tavares S. & Fernandes J. C. (2009). The up-regulation of *Vitis vinifera* sulfur assimilation by sulfate depletion decreases from cells to roots and to leaves. In A. Sirko et al (Eds). *Sulfur metabolism in higher plants*, Margraf Pulb, Germany, pp. 49-53



- Amâncio S., Tavares S., Fernandes J. C. & Sousa C. (2009). Grapevine and sulfur: old partners, new achievements. In *Molecular Physiology & Biotechnology of the Grapevine*, K. Angelakis-Roubelakis (ed.), Springer, pp 31-52.
- Américo M. S. Carvalho & José A. R. Graça (2009). Cork bottle stoppers and other cork products. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Island Press. Chapter 5: 59-69.
- Aronson J., Pereira J. S., Pausas J. G. (eds), 2009. *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Island Press.
- Baptista F. J., Meneses J. F. & Navas L. M. (*in press*). Greenhouses climate modelling. Tests, adaptation and validation of a dynamic climate model. *Spanish Journal of Agricultural Research*.
- Barreiro, S. & Tomé, M., (*in press*). SIMPLOT: simulating the impacts of fire severity on sustainability of Eucalyptus forests in Portugal. *Ecological Indicators*. Online publication completed by 19/07/2009, DOI: 0.1016/j.ecolind.2009.06.015.
- Batista L., Monteiro S., Loureiro V., Teixeira A. & Ferreira R.(2009). The complexity of protein haze formation in wines. *Food Chemistry*, 112: 169-177.
- Beja P., Gordinho L., Reino L., Loureiro F. & Santos-Reis M. (2009). Predator abundance in relation to small game management in southern Portugal: conservation implications. *European Journal of Wildlife Research*, 55: 227-238.
- Bermudez P. Z., Mendes J., Pereira J. M. C., Turkman K. F. & Vasconcelos M. J. P. (2009). Spatial and temporal extremes of wildfire sizes in Portugal (1984–2004). *International Journal of Wildland Fire*, 18: 983–991.
- Blockeel, T. L.; Bednarek-Ochyra, H.; Ochyra, R.; Cykowska, B.; Esquivel, M. G.; Lebouvier, M.; Luís, L.; Martins, S.; Müller, F.; Németh, C. S.; Papp, B.; Plášek, V.; Pócs, T.; Sabovljevi, M.; Sérgio, C.; Sim-sim, M.; Stech, M.; Vá a, J. & Tonguç Yayinta, Özlem (2009). New national and regional bryophyte records, 21. *JOURNAL OF BRYOLOGY*, 31: 132-139.
- Borges P. J., Marques S., Borges J. G. & Tomé M. (2009). Scenario Analysis Applied to Cork and Holm Oak Forest Ecosystems in Southern Portugal. *Modelling, Valuing and Managing Mediterranean Forest Ecosystems for Non-Timber Goods and Services*, 57: 49-56.
- Branco M., Boavida C., Durand N., Franco J. C. & Mendel Z. (2009). Presence of the *Eucalyptus gall* wasp, *Ophelimus maskelli* and its parasitoid *Closterocerus chamaeleon* in Portugal: First record, geographic distribution and host preference. *Phytoparasitica*, 37: 51-54.
- Bruno-Soares, A. M.; Soares-Pereira, A. L.; Matos, T. J. S., Ricardo-da-Silva, J. M.& Acamovic, T. (*in press*). Effect of grape seed (*Vitis vinifera*) condensed tannins on rumen effective degradability and intestinal digestibility of lupin seeds protein fraction (*Lupinus angustifolius*). *Anim. Feed Sci. Technol.*Journal of the Science of Food and Agriculture.
- C. Pinto-Cruz, J. A. Molina, M. Barbour, V. Silva & M. D. Espírito-Santo (2009). Plant communities as a tool in temporary ponds conservation in SWPortugal (2009). *Hydrobiologia*, 634(1): 11.
- Cabecinha E., Cortes R., Cabral J. A., Ferreira T., Lourenço M. & Pardal M. A. (2009). Multi-scale approach using phytoplankton as a first step towards the definition of the ecological status of reservoirs. *Ecological Indicators*. 9(2): 240-255.
- Cabral A., Rego C., Nascimento T., Oliveira H., Groenewald J. Z. & Crous P. W. (2009). Multigene sequence analyses reveal novel *Cylindrocarpon* species associated with black foot disease of grapevines (*Vitis spp.*). *Phytopathologia Mediterranea*, 48: 167-167.



- Cadima, J; Jolliffe, I (2009). On relationships between uncentred and column-centred principal component analysis. *Pakistan Journal of Statistics*, 25(4), pp. 473-503
- Cai J, Liu Y, Xu D, Paredes P, Pereira LS, 2009. Simulation of the soil water balance of wheat using daily weather forecast messages to estimate the reference evapotranspiration. *Hydrol. Earth Syst. Sci.*, 13: 1045-1059.
- Carla Alegria, Joaquina Pinheiro, Elsa M. Gonçalves, Isabel Fernandes, Margarida Moldão and Marta Abreu, 2009. Quality attributes of shredded carrot (*Daucus carota* L. cv. Nantes) as affected by alternative decontamination processes to chlorine. *Innovative, Food Science and Emerging Technologies*, 10: 61-69
- Carneiro, M., V. Serrão, António Fabião, M. Madeira, I. Balsemão & L. Hilário. 2009. Does harvest residue management influence biomass and nutrient accumulation in understory vegetation in *Eucalyptus globulus* Labill. plantations in a Mediterranean environment? *Forest Ecology and Management* 257, 527-535.
- Carranca, C., Oliveira ,A., Pampulha, M.E., Torres, M.O., 2009. Temporal dynamics of soil nitrogen, carbon and microbial activity in conservative and disturbed fields amended with mature white lupine and oat residues. *Geoderma*, 151:50-59.
- Carranca, C., Rocha, I., de Varennes, A., Oliveira, A., Pampulha, M.E., Torres, M.O., 2009. Effect of tillage and temperature on nitrogen mineralization and microbial activity and microbial numbers of lupine amended soil. *Agrochimica*, LIII(3): 183-195. (IF- 0.235)
- Carranca, C., Torres, M.O., Baeta, J., 2009. White lupine as a beneficial crop in Southern Europe. I - Potential for N mineralization in lupine amended soil and yield and N₂ fixation by white lupine. *European Journal of Agronomy*, 31:183-189. (IF - 2.376)
- Carranca, C., Torres, M.O., Baeta, J., 2009. White lupine as a beneficial crop in Southern Europe. II - N recovery in a legume-oat rotation and continuous oat-oat. *European Journal of Agronomy*, 31:190-194. (IF - 2.376)
- Carvalho FP, Oliveira JM, Neves MO, Abreu MM, Vicente EM (2009). Soil to plant (*Solanum tuberosum* L.) radionuclide transfer in the vicinity of an old uranium mine. *GEOCHEMISTRY-EXPLORATION ENVIRONMENT ANALYSIS* Volume: 9 Pages: 275-278. *Impact Factor (2008): 0.276*
- Catry, F., Moreira, F., Duarte, I., Acácio, V. (2009). Factors affecting post-fire crown regeneration in cork oak trees (*Quercus suber* L.). *European Journal of Forest Research*, 128: 231-240.
- Catry, F., Rego, F., Bação, F., Moreira, F. (2009). Modelling and mapping wildfire ignition risk in Portugal. *International Journal of Wildland Fire*, 18: 921-931.
- Cerasoli , S, McGuire M. A., Faria J., Mourato M., Schmidt M., Pereira J. S., Chaves M., and Teskey R. O. (2009). CO₂ efflux, CO₂ concentration and photosynthetic re-fixation in stems of *Eucalyptus globulus* (Labill.). *J. Exp.Bot.* 60:99-105.
- Chaves, I; Pinheiro, C.; Paiva, J.; Planchon, S.; Sergeant, K.; Renaut, J.; Graça, J.; Costa, G.; Coelho, A.; Pinto-Ricardo, C. P (2009). Proteomic evaluation of wound-healing processes in potato (*Solanum tuberosum* L.) tuber tissue. *Proteomics* 9: 4154–4175.
- Chaves, M.M., Flexas J, Pinheiro C 2009 Photosynthesis under drought and salt Stress: Regulation mechanisms from whole plant to cell. *Annals of Botany* 103, 551-560.
- Climent, J. Costa e Silva F., Chambel M. R., Pardos M., Almeida M. H. (2009). Freezing injury in primary and secondary needles of Mediterranean pine species of contrasting ecological niches. *Annals of Forest Science* 66: 407.



- Coelho P.S., Valério L., Monteiro A.A. 2009. Leaf position, leaf age and plant age affect the expression of downy mildew resistance in Brassica oleracea. *European Journal of Plant Pathology* 125(2): 179-188.
- Correia P, Leitão A, Beirão-da-Costa ML, 2009. The effect of drying temperatures on morphological and chemical properties of dried chestnuts flours. *Journal of Food Engineering*, 90: 325-332 (IF=2.081, C=1)
- Correia, P., Leitão, A., Beirão-da-Costa, M.L., 2009. Effect of drying temperatures on chemical and morphological properties of acorn flours. *International Journal of Food Science and Technology* 44, (9), 1729-1736
- Cortes, R.V., S. Hughes, S.V. Oliveira, M. Magalhães & M.T. Ferreira. 2009. Habitat variation at different scales and biotic linkages in lotic systems: consequences for monitorization . *Aquatic Ecology*. DOI 10.1007/s10452-009-9228-9
- Cosme F, Ricardo-da-Silva JM, Laureano (2009). Effect of Various Proteins on Different Molecular Weight Proanthocyanidin Fractions of Red Wine during Wine Fining. *Am. J. Enol. Vitic.*, 60,:(1): 74-81.
- Cosme F;Ricardo-Da-Silva JM; Laureano O (2009) - Tannin profiles of Vitis vinifera L. cv. red grapes growing in Lisbon and from their monovarietal wines-, *Food Chemistry*, 112 (1) : 197-204 .
- Costa e Silva F., Shvaleva A., Broetto F., Ortuño M.F., Rodrigues M.L., Almeida M.H., Chaves M.M. Pereira J.S. 2009. Acclimation to short-term low temperatures in two Eucalyptus globulus clones with contrasting drought resistance. *Tree Physiology*: 29: 77-86.
- Costa e Silva, J., Borralho, N.M.G., Araújo, J.A., Vaillancourt, R.E. and Potts, B.M. 2009. Genetic parameters for growth, wood density and pulp yield in Eucalyptus globulus. *Tree Genetics and Genomes* 5: 291-305.
- Costa e Silva, J., Hardner, C. and Potts, B.M. Genetic variation and parental performance under inbreeding for growth in Eucalyptus globulus. *Annals of Forest Science* (in press).
- Costa e Silva, J., Hardner, C., Tilyard, P., Pires, A.M. and Potts, B.M. Effects of inbreeding on population mean performance and observational variances in Eucalyptus globulus. *Annals of Forest Science* (in press).
- Costa J.C., Neto C., Arsénio P., & Capelo J. (2009) - Geographic variation among Iberian communities of the exotic halophyte Cotula coronopifolia. *Botanica Helvetica* 119 (1): 53-61. (0.543)
- Costa J.C., Arsénio P., Monteiro-Henriques T., Neto C., Pereira E., Almeida T. & Izco J. (2009). Finding the boundary between Eurosiberian and Mediterranean Salt Marshes. *Journal of Coastal Research* 56 (2): 1340-1344. (0.517)
- Costa, A., Pereira, H. & Madeira, M. 2009. Landscape dynamics in endangered cork oak woodlands in Southwestern Portugal in the period 1958-2005. *Agroforestry Systems*, 77: 83-96.
- Cubera, E., Nunes, J. M., Madeira, M. & Gazarini. L. 2009. Influence of Quercus ilex trees on herbaceous production and herbaceous mineral content in southern Portugal. *Journal of Plant Nutrition and Soil Science* 172: 565-571.
- Daam MA, Rodrigues AMF, Van den Brink PJ, Nogueira AJA, 2009. Ecological effects of the herbicide linuron in tropical freshwater microcosms. *Ecotoxicology and Environmental Safety* 72: 410-423. IF= 2.590; C=4)
- Daam MA, Satapornvanit K, Van den Brink PJ, Nogueira AJA, 2009. Sensitivity of macroinvertebrates to carbendazim under semi-field conditions in Thailand: Implications for the use of temperate toxicity data in a tropical risk assessment of fungicides. *Chemosphere* 74: 1187-1194 (IF= 3.054; C=2)
- Daam MA, Van den Brink PJ, Nogueira AJA, 2009. Comparison of fate and ecological effects of the herbicide linuron in freshwater model ecosystems between tropical and temperate regions. *Ecotoxicology and Environmental Safety* 72: 424-433. (IF= 2.590, C=2)



Duarte E. (2009). Portugal. In *Global Atlas of Excreta, Wastewater Sludge and Biosolids Management: moving forward the sustainable and welcome uses of a global resource*, pp. 471-477. Un-Habitat Publisher

Esteves B., Pereira H. (2009). Wood modification by heat treatment: A review. *BioResources*, 4(1): 370-404.

Fangueiro D , Ribeiro H , Vasconcelos E , Coutinho J , Cabral F. (2009). Treatment by acidification followed by solid-liquid separation affects slurry and slurry fractions composition and their potential of N mineralization. *BIORESOURCE TECHNOLOGY* Volume: 100 Issue: 20 Pages: 4914-4917. Impact Factor (2008): 4.453

Fangueiro D.; Fernandes A.; Coutinho J.; Moreira N.; Trindade H. (2009). Influence of Two Nitrification Inhibitors (DCD and DMPP) on Annual Ryegrass Yield and Soil Mineral N Dynamics after Incorporation with Cattle Slurry. *COMMUNICATIONS IN SOIL SCIENCE AND PLANT ANALYSIS* Volume: 40 Issue: 11-12 Pages: 3387-3398. Impact Factor (2008): 0.35

FERNANDES J, TAVARES S, AMÂNCIO S (2009). Identification and Expression of cytokinin signaling and meristem identity gen in sulfur deficient grapevine (*Vitis vinifera* L.). *PLANT SIGNALING & BEHAVIOR* 4(12): 1-8

Fidalgo B, Salas R, Gaspar J, Morais P. 2009. Estimation of plant diversity in a forested mosaic landscape: the role of landscape, habitat and patch features. *Revista Latinoamericana de Recursos Naturales*, Vol. 5 (2): 65-73.

Figueiredo, E. Muñoz, D., Murillo, R., Mexia, A. & Caballero, P. 2009. Diversity of Iberian nucleopolyhedrovirus wild-type isolates infecting *Helicoverpa armigera* (Lepidoptera: Noctuidae). *Biol. Control*, 50 (1): 43-49.

Filomena Freitas, Vitor. D. Alves, Joana Pais, Nuno Costa, Cristina Oliveira, Luis Mafra, Loic Hilliou, Rui Oliveira, Maria A.M. Reis, Characterization of an extracellular polysaccharide produced by a *Pseudomonas* Strain grown on glycerol, *Bioresource Technology*, 100(2) (2009) 859

Fleskens, L., Duarte, F. e Eicher, I., 2009. A conceptual framework for the assessment of multiple functions of agro-ecosystems: A case study of Trás-os-Montes olive groves. *Journal of Rural Studies* 25, pp. 141-155.

Frade JC, Ribeiro MI, Graça J, Rodrigues J. (2009) Applying pyrolysis-gas chromatography/mass spectrometry to the identification of oriental lacquers: study of two lacquered shields. *Analytical and Bioanalytical Chemistry*. 395: 2167–2174.

Freitas F., Alves V.D., Carvalheira M., Costa N., Oliveira R., Reis M.A.M., Emulsifying behaviour and rheological properties of the extracellular polysaccharide produced by *Pseudomonas oleovorans* grown on glycerol byproduct, *Carbohydrate Polymers* 78 (2009) 549

Freitas R, Rego C, Oliveira H, Ferreira RB., 2009. Identification and biochemical characterization of the major proteins secreted by the grapevine pathogen *Eutypa lata*. *Phytopathologia Mediterranea*. 48: 170-170.

Freitas, R., Rego, C., Oliveira, H., Ferreira, R.B. (2009) Interactions among grapevine disease-causing fungi. The role of reactive oxygenspecies. *Phytopathologia Mediterranea*, 48:117–127.

Garcia, R. Andre, J. P. de Melo-Abreu, R. Nieto, P.V. Prasad and D. White, 2009. Climate and weather Risk Assessment for Agricultural Planning. Chapter 7. In: *Guide to Agricultural Meteorological Practices*. (in press)

Gaspar F., Lopes J., Cruz H., Schwanninger M., Rodrigues J. (2009). Application of near infrared spectroscopy and multivariate data analysis for the evaluation of glue lines of untreated and copper azole treated laminated timber prior and after ageing. *Polymer Degradation and Stability*. 94, 1061-1071.

Gaspar M.J., Lousada J.L., Rodrigues J., Aguiar A., Almeida M.H. (2009). Does Selecting for improved growth affect wood quality of *Pinus pinaster* in Portugal? *Forest Ecology and Mangement*, 258: 115–121.



- Gaspar, M.J. de-Lucas, A. Alia, R. Paiva, J. Hidalgo, E. Louzada, J.L. Almeida, M.H. González-Martínez, S.C. 2009. Use of molecular markers for estimating breeding parameters: a case study in Maritime pine progeny trial. *Tree Genetic and Genomes*, 5: 609-616.
- Gatto P., Zocca A., Battisti A., Barrento M. J., Branco M., Paiva M.R. 2009. Economic assessment of managing processionary moth in pine forests: A case-study in Portugal. *Journal of Environmental Management*. 90: 683-691. (doi:10.1016/j.jenvman.2008.01.007)
- Goldway M., Takasaki-Yasuda T., Sanzol J., Mota M., Zisovich A., Stern R.A. and Sansavini S., 2009. Renumbering the S-RNase alleles of European pears (*Pyrus communis* L.) and cloning the S109 RNase allele. *Scientia Horticulturae* 119 : 417-422.
- Gominho J., Lourenço A., Curt M., Fernández J., Pereira H. (2009) Characterization of hairs and pappi from *Cynara cardunculus capitula* and their suitability for paper production. *Industrial Crops and Products* 29:116–125.
- Gonçalves E, St.Aubyn A, Martins A. (2010). Experimental designs for evaluation of genetic variability and selection of ancient grapevine varieties simulation study. *Heredity* (in press). Available online, November 2009, doi:10.1038/hdy.2009.153
- Gonçalves J.M., Pereira L.S., 2009. A decision support system for surface irrigation design. *J. Irrig. Drain. Engng.* 135: 343-356
- Graca, DS; Buescu, J; Campagnolo, ML (2009). Computational bounds on polynomial differential equations. *Applied Mathematics and Computation*, 215(4), pp. 1375-1385
- Graça, J. (2009) Hydroxycinnamates in suberin formation. *Phytochemistry Reviews*. 9: 85-91.
- Graves, A.R., Burgess, P.J., Palma, J. H. N., Keesman, K., van der Werf, W., Dupraz, C., van Keulen, H., Herzog, F., Mayus, M., Moreno, G., in press. Using the parameter-sparse Yield-SAFE model to describe and predict 4 tree-crop interactions at three contrasting sites in Europe. *Ecological Engineering*.
- Hughes SJ, Santos JM, Ferreira MT, A. Mendes. 2009. Ecological assessment of an intermittent Mediterranean river using multiple organism groups: the role of structure and function. *Freshwater Biology* 54 (1) 2383 – 2400
- Hussain, M.Z., D. Otieno, H. Mirzae, Y.L. Li, M.W.T. Schmidt, L. Siebke, T. Foken, N. Ribeiro, J.S. Pereira and J.D. Tenhunen. 2009. CO₂ exchange and biomass development of the herbaceous vegetation in the Portuguese montado ecosystem during spring. *Agriculture Ecosystems & Environment*, 132:143-152.
- J. Cortina. M. Helena Almeida et al. (2009). Field Techniques to improve cork oak establishment. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Chapter 12, pp. 141-149. Island Press.
- J. P. de Melo-Abreu, P. L. Andrews, T. X., A. Daldoun, W. De Groot, R. Fleming, R. Fleming, F. Fujioka, J. G. Goldammer, A. Govind, J. Harrison, T. Keenan, D. Price, K. Stigter and A. Wain, 2009. Chapter 8: Applications of Meteorology to Forestry and Non-forest Trees. *Guide to Agricultural Meteorological Practices (GAMP)*, Third Edition. WMO, Geneva, (in press)
- Jactel H., Nicoll B.C., Branco M., Gonzalez-Olabarria J. R., Grodzki W., Långström B., Moreira F., Netherer S., Orazio C., Piou D., Santos H., Schelhaas M.J., Tojic K., Vodde F. 2009. The influences of forest stand management on biotic and abiotic risks of damage. *Ann. For. Sci.* 66: 701. doi: 10.1051/forest/2009054
- João S. Pereira, Alexandre Vaz Correia & Richard Joffre (2009). Facing climate change. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Chapter 18, pp. 219-226. Island Press.



João S. Pereira, Cathy Kurz-Besson & M. Manuela Chaves (2009). Coping with Drought. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Chapter 6, pp. 74-80. Island Press.

João S. Pereira, John Tenhunen et al. (2009). Simulating function and vulnerability of cork oak woodland ecosystems. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Chapter 19, pp. 227-234. Island Press.

José Carlos Franco, Anat Zada and Zvi Mendel (2009). Novel Approaches for the Management of Mealybug Pests. In *Biorational Control of Arthropod Pests - Application and Resistance Management*, 233-278. Springer Netherlands.

Juli G. Pausas, João S. Pereira & James Aronson (2009). The Tree. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Chapter 1, pp. 11-21. Island Press.

Kamil Feridun Turkman, M. A. Amaral Turkman and J. M. Pereira. 2009. Asymptotic models and inference for extremes of spatio-temporal data. *Extremes* DOI: 10.1007/s10687-009-0092-8.

L. Neves, N. Nemestóthy, V. D. Alves, P. Cserjési, K. Bélafi-Bakó, I.M. Coelho, Separation of biohydrogen by supported ionic liquid membranes, *Desalination*, 240 (2009) 311-315.

Lampis S, Ferrari A, Cunha-Queda ACF, Alvarenga P, Di Gregorio S, Vallini G. (2009). Selenite resistant rhizobacteria stimulate SeO₃ (2-) phytoextraction by *Brassica juncea* in bioaugmented water-filtering artificial bed. *ENVIRONMENTAL SCIENCE AND POLLUTION RESEARCH* Volume: 16 Issue: 6 Pages: 663-670. Impact Factor (2008): 2.492

Lindner, M., Suominen, T., Palosuo, T., Garcia-Gonzalo, J., Verweij, P., Zudin, S. & Päivinen, R., in press. ToSIA – A Tool for Sustainability Impact Assessment of Forest-Wood-Chains. *Ecological Modelling*. Online publication completed by 5-OCT-2009, DOI information: 10.1016/j.ecolmodel.2009.08.006.

Loic Hilliou, Filomena Freitas, Rui Oliveira, Maria A.M. Reis, David Lespineux, Christian Grandfils, Vítor D. Alves, Solution properties of an exopolysaccharide from a *Pseudomonas* strain obtained using glycerol as sole carbon source, *Carbohydrate Polymers*, 78 (2009) 526-532.

Lopez-Pineiro A, Cabrera D, Pena D, Albarran A, Nunes JMR (2009). Phosphorus Adsorption and Fractionation in a Two-phase Olive Mill Waste Amended Soil. *SOIL SCIENCE SOCIETY OF AMERICA JOURNAL* Volume: 73 Issue: 5 Pages: 1539-1544. Impact Factor (2008): 2.207

Lourenço, A, Neves, E., Brito, L. (2009). Susceptibility of *Listeria monocytogenes* from traditional cheese-dairies to in use sanitizers, *Food Control*, 20: 585–589.

Luis Santos Pereira, Ian Cordery & Iacovos Iacovides (2009). *Coping with Water Scarcity: Addressing the Challenges*. Springer Pub., 382 pp.

M. Helena Almeida, H. Merouani et al. (2009). Germplasm selection and nursery techniques. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Chapter 11, pp. 129-137. Island Press.

Malfeito-Ferreira, M. and Loureiro, V. (2009). Spoilage Yeasts and Other Fungi: their Roles in Modern Enology. In: Rai, M. and P. Bridge (eds.). *Applied Mycology*. Chapter 9, pp. 156-172. CAB International, Oxon, United Kingdom.

Malfeito-Ferreira, M. and Loureiro, V. (2009). Spoilage yeasts in wine production. In: Romano, P. and Fleet, G. (eds.). *Yeasts in the Production of Wine*. Springer, New York. In press.

Malfeito-Ferreira, M., Barata, A. and Loureiro, V. (2009). Wine spoilage by fungal metabolites. In: Polo, C. and Moreno-Arribas, M.V. (eds.). *Wine Chemistry and Biochemistry*. Chapter 11, pp. 615-645. Springer, New York.



- Manuela Branco & Ana Paula Ramos (2009). Coping with pests and diseases. In Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration. Chapter 9, pp. 103-111. Island Press.
- Martin N., VESENTINI D., REGO C., MONTEIRO S., OLIVEIRA H., Ferreira R. (2009). Phaeomoniella chlamydospora infection induces changes in phenolic compounds content in *Vitis vinifera*. *Phytopathologia Mediterranea*. 48, 101–116
- Martins C, Pinho M, Lordelo MM, Cunha LF, Carvalho J, Freire JPB. Effect of brewers grain on intestinal microbial activity and mucosa morphology of weaned piglets. *Livestock Science (In Press)* (IF=1.091)
- Maseyk, K., U. Seibt, J. Ghashghaie, C. Bathellier, P. Almeida, R. Lobo de Vale, J.S. Pereira, D. Yakir, M. Mencuccini and L. Wingate. 2009. Biotic and abiotic factors affecting the $\delta^{13}C$ of soil respired CO_2 in a Mediterranean oak woodland. *Isotopes in Environmental and Health Studies*. 45:343 — 359.
- Matias MJ, Marques JM, Figueiredo P, Basto MJ, Abreu MM, Carreira PM, Ribeiro C, Flambo A, Feliciano J, Vicente EM (2009). Assessment of pollution risk ascribed to Santa Margarida Military Camp activities (Portugal). *ENVIRONMENTAL GEOLOGY* Volume: 56 Issue: 6 Pages: 1227-1235. Impact Factor (2008): 1.026
- Mazzeo G, Franco JC, Russo A. 2009. A new *Paracoccus* species from Palearctic region (Hemiptera, Sternorrhyncha, Coccoidea, Pseudococcidae). *Zootaxa* 2274: 62-68
- Miranda I., Gominho J., Pereira H. (2009). Variation of heartwood and sapwood in 18-year-old *Eucalyptus globulus* trees grown with different spacings. *Trees-Structure and Function* 23:367–372.
- Moreira F., Catry F., Lopes T., Bugalho M., Rego F. (2009). Comparing survival and size of resprouts and planted trees for post-fire forest restoration in central Portugal. *Ecological Engineering*, 35: 870-873.
- Moreira, F., Catry, F., Duarte, I., Acácio, V., Silva, J. (2009). A conceptual model of sprouting responses in relation to fire damage: an example with cork oak (*Quercus suber* L.) trees in Southern Portugal. *Plant Ecology*, 201:77-85.
- Moreira, F., Vaz, P., Catry, F., Silva, J.S. (2009). Regional variations in wildfire preference for land cover types in Portugal: implications for landscape management to minimise fire hazard. *International Journal of Wildland Fire*, 18: 563-574.
- Mourato MP (Mourato, M. P.)¹, Martins LL, Campos-Andrada MP (2009). Physiological responses of *Lupinus luteus* to different copper concentrations. *BIOLOGIA PLANTARUM* Volume: 53 Issue: 1 Pages: 105-111. Impact Factor (2008): 1.426
- Mourato MP, Martins LL, Cuypers A. (2009). Effect of Copper on Antioxidant Enzyme Activities and Mineral Nutrition of White Lupin Plants Grown in Nutrient Solution. *JOURNAL OF PLANT NUTRITION* Volume: 32 Issue: 11 Pages: 1882-1900. Impact Factor (2008): 0.569
- Muzylo, A., Llorens, P., Valente, F., Keizer, J.J., Domingo, F. & Gash, J.H.C. 2009. A review of rainfall interception modelling. *Journal of Hydrology*, 370 (1-4): 191-206.
- Nascimento T, Cardoso F, Rego C, Oliveira H. 2009., A double-stranded RNA from *Cylindrocarpus* isolates related to members of Endornavirus genus. *Phytopathologia Mediterranea* 48,166-167.
- Neves O, Abreu MM (2009). Are uranium-contaminated soil and irrigation water a risk for human vegetables consumers? A study case with *Solanum tuberosum* L., *Phaseolus vulgaris* L. and *Lactuca sativa* L. Conference Information: 7th Iberian/4th Iberoamerican Congress of Environmental Contamination and Toxicology, Date: MAR, 2008 Iberoamer Soc Environm Contaminat & Toxicol Lisbon PORTUGAL. *ECOTOXICOLOGY* Volume: 18 Issue: 8 Pages: 1130-1136. Impact Factor (2008): 2.355



Oliveira JM, Ferreira MT, Morgado P, Hughes RM, Teixeira A, Cortes RM, Bochechas JH. 2009. A Preliminary Fishery Quality Index for Portuguese Streams. *North American Journal of Fisheries Management* 29 (5) 1466-1478.

Oliveira M., Queda C, Duarte E. (2009). Aerobic treatment of winery wastewater with the aim of water reuse. *WATER SCIENCE AND TECHNOLOGY* Volume: 60 Issue: 5 Pages: 1217-1223 Impact Factor (2008):1.005

Osório, N.M. Dubreucq, E., da Fonseca, M.M., Ferreira-Dias, S., 2009. Lipase/acyltransferase-catalysed interesterification of fat blends containing omega-3 polyunsaturated fatty acids, *Eur. J. Lipid Sci. Tech.*, 111: 120-134 (doi: 10.1002/ejlt.200800109)

Osório, N.M., Dubreucq, E., da Fonseca, M.M., Ferreira-Dias, S., 2009. Operational Stability of Immobilised Lipase/acyltransferase during Interesterification of Fat Blends, *Eur. J. Lipid Sci. Tech.*, 111: 358-367 (EJLST-2008-00194, doi: 10.1002/ejlt.200800194)

Paço, T.A., David, T.S., Henriques, M.O., Pereira, J.S., Valente, F., Banza, J., Pereira, F.L., Pinto, C., David, J.S., 2009. Evapotranspiration from a Mediterranean evergreen oak savannah: the role of trees and pasture. *Journal of Hydrology*, 369: 98-106.

Palma P, Kuster M, Alvarenga P, Palma VL, Fernandes RM, Soares AMVM, de Aida MJL, Barcelo D, Barbosa IR (2009). Risk assessment of representative and priority pesticides, in surface water of the Alqueva reservoir (South of Portugal) using on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. *ENVIRONMENT INTERNATIONAL* Volume: 35 Issue: 3 Pages: 545-551. Impact Factor (2008): 3.516

Pedras C.M.G., Pereira L.S., 2009. Multicriteria analysis for design of microirrigation systems. Application and sensitivity analysis. *Agric. Water Manage* 96(4) 702-710

Pedras C.M.G., Pereira L.S., Gonçalves J.M., 2009. MIRRIG: A decision support system for design and evaluation of microirrigation systems. *Agric. Water Manage* 96 (4) 691-701

Pereira HS, Barão A, Caperta A, Rocha J, Viegas W, Delgado M. (2009). Rye Bs disclose ancestral sequences in cereal genomes with a potential role in gametophyte chromatid segregation. *Mol Biol Evol.* Aug;26(8):1683-97.

Pereira L.S., Paredes P., Cholpankulov E. D., Inchenkova O. P., Teodoro, P. R. Horst M. G., 2009. Irrigation scheduling strategies for cotton to cope with water scarcity in the Fergana Valley, Central Asia. *Agric. Water Manage* 96 (5) 723-735

Pereira, F.L., Gash, J.H.C., David, J.S. & Valente, F. 2009. Evaporation of intercepted rainfall from isolated evergreen oak trees: Do the crowns behave as wet bulbs? *Agricultural and Forest Meteorology*, 149 (3-4): 667-679.

Pereira, F.L., Gash, J.H.C., David, J.S., David, T.S., Monteiro, P.R. & Valente, F. 2009. Modelling interception loss from evergreen oak Mediterranean savannas: Application of a tree-based modelling approach. *Agricultural and Forest Meteorology*, 149 (3-4): 680-688.

Pintado, C.M.B.S.; Ferreira, M.A.S.S.; Sousa, I. (2009). Properties of whey protein-based films containing organic acids and nisin to control *Listeria monocitogenes*. *Journal of Food Protection*. 72 (9): 1891-1896.

Pintado, C.M.B.S.; Grant, K.A.; Halford-Maw, R.; Hampton, M.D.; Ferreira, M.A.S.S.; McLauchlin, J. (2009). Association between a case study of asymptomatic ovine listerial mastitis and the contamination of soft cheese and cheese processing environment with *Listeria monocitogenes* in Portugal. *Foodborne Pathogens and Disease* 6 (5): 569-575.



- Pinto AP, Alves, Candeias, Cardoso AI, Varennes A de, Martins ML, Mourato M, Gonçalves ML, Mota AM, 2009. Cadmium accumulation and antioxidative defences in *Brassica juncea* L. Czern, *Nicotiana tabacum* L. and *Solanum nigrum* L. *International Journal of Environmental Analytical Chemistry*, 89 (8-12): 661-676
- Pires-Cabral, P., da Fonseca, M.M.R.; Ferreira-Dias, S., 2009. Synthesis of Ethyl Butyrate in Organic Media Catalysed by *Candida rugosa* Lipase Immobilized in Polyurethane Foams: A Kinetic Study, *Biochemical Engineering Journal*, 43: 327-332 (doi: 10.1016/j.bej.2008.11.002. Online publication complete: 13-DEC-2008)
- Pita, R., Mira, A., Moreira, F., Morgado, R., Beja, P. (2009). Influence of landscape characteristics on carnivore diversity and abundance in Mediterranean farmland. *Agriculture, Ecosystems & Environment*, 132: 57-65.
- Ramos, T. B., Gonçalves, M. C., Castanheira, N. L., Martins, J. C., Santos, F. L., Prazeres, A., Fernandes, M. L., 2009. Effect of sodium and nitrogen on yield function of irrigated maize in southern Portugal. *Agricultural Water Management*, 96: 585-594 (doi:10.1016/j.agwat.2008.09.23).
- Raziei T., Saghafian B., Paulo A.A., Pereira L.S., Bordi I., 2009. Spatial patterns and temporal variability of drought in Western Iran. *Water Resour. Manage.* 23(3), 439-455
- Rego C, Nascimento T, Cabral A, Silva MJ, Oliveira H., 2009. Control of grapevine wood fungi in commercial nurseries. *Phytopathologia Mediterranea* 48, S128-S135.
- Rego C, Vaz A, Nascimento T, Cabral A, Oliveira H, 2009. Diseases incited by *Botryosphaeriaceae* fungi in Portuguese vineyards. *Phytopathologia Mediterranea* 48(1):181-181 (IF=0.559; C=1)
- Reino L, Moya-Laraño J, Heitor AC. 2009. Using survival regression to study patterns of expansion of invasive species: will the common waxbill expand with global warming? *Ecography*, 32(2):237-246.
- Reino, L., P. Beja, P. E. Osborne, R. Morgado, António Fabião & J. T. Rotenberry. 2009. Distance to edges, edge contrast and landscape fragmentation: Interactions affecting farmland birds around forest plantations. *Biological Conservation* 142, 824-838.
- Rennolls, K., Päivinen, R., San-Miguel-Ayaz, J., Tomé, M., Skovsgaards, J.P, Palahí, M. & Matthews, R., 2009. Harmonisation of european forest growing stocking data using a model-based conversion approach. *Forest Biometry, Modelling and Information Sciences*, Vol. 1, 1-34.
- Ribeiro HM , Vasconcelos E , Cabral F, Ribeiro D. (2009). Fertilization of *Pinus pinea* L. seedlings with sewage sludge-based compost. *WASTE MANAGEMENT & RESEARCH* Volume: 27 Issue: 2 Pages: 112-118. Impact Factor (2008): 0.835
- Ribeiro T., Viegas W., MORAIS-CECÍLIO L. (2009). Epigenetic marks in the mature pollen of *Quercus suber* L. (Fagaceae). *Sexual Plant Reproduction*, 22: 1-7.
- Rodrigues, G.C., Pereira, L.S., 2009. Assessing economic impacts of deficit irrigation as related to water productivity and water costs. *Biosystems Eng.* 103: 536-551
- Salas R, Fidalgo B, Gaspar J, Morais P. 2009. Índices de biodiversidad y de estructura vertical—utilidad de aplicación en bosques con manejo forestal. *Revista Latinoamericana de Recursos Naturales*, Vol. 5 (2): 74-85.
- Santos ES, Abreu MM, Nabais C, Saraiva JA (2009). Trace elements and activity of antioxidative enzymes in *Cistus ladanifer* L. growing on an abandoned mine area. *ECOTOXICOLOGY* Volume: 18 Issue: 7 Pages: 860-868. Impact Factor (2008): 2.355
- Santos M. R., Silva M. J., Ferreira-Pinto M. M. & Dias J. S. (2009). Identification of sources and inheritance of resistance of Chinese Brassica vegetables to white blister. *Plant Breeding*, 128(6), pp. 640-644



- Santos, S. A. P.; Cunha-Queda, C.; Gonçalves, F.; Pereira, J. A.; Bento, A. & Torres, L. M. (2009). Organic olive growing in northeastern Portugal: present state and future prospects. In *Organic Farming: Methods, Economics and Structure*: 1-29. Nova Science Publishers, Inc.
- Schmidt MWT, Schreiber D, Correia A, Ribeiro N, Surový P, Otieno D, Tenhunen J, Pereira JS. 2009. Sap Flow in Cork Oak Trees at Two Contrasting Sites in Portugal. *Acta Horticulturae*. 846:345-352.
- Shatalov A. A., Pereira H. (2009). Polyoxometalate catalyzed ozonation of chemical pulps in organic solvent media, *Chemical Engineering Journal* 155(1-2): 380-387.
- Shatalov A., Pereira H. (2009) Impact of hexenuronic acids on xylanase-aided bio-bleaching of chemical pulps. *Bioresource Technology* 100:3069–3075
- Silva EB, Franco JC, Vasconcelos T & Branco M. 2009. Effect of ground cover vegetation on the abundance and diversity of beneficial arthropods in citrus orchards. *Bulletin of Entomological Research* doi:10.1017/S0007485309990526
- Silva ME, Lemos LT, Cunha-Queda AC, Nunes OC. (2009). Co-composting of poultry manure with low quantities of carbon-rich materials. *WASTE MANAGEMENT & RESEARCH* Volume: 27 Issue: 2 Pages: 119-128. Impact Factor (2008): 0.835
- Silva, A. T., J. M. Santos, A. C. Franco, M. T. Ferreira & A. N. Pinheiro. 2009. Selection of Iberian Barbel (*Barbus bocagei* Steindachner) for orifices and notches upon different hydraulic configurations in an experimental pool-type fishway. *Journal of Applied Ichthyology*, 25 (2):173-177.
- Silva, J., Moreira, F., Vaz, P., Catry, F., Godinho-Ferreira, P. (2009). Assessing the relative fire proneness of different forest types in Portugal. *Plant Biosystems*, 143: 597-608.
- Simões, P. Manuel Madeira & Luiz Gazarini. 2009. Ability of *Cistus L.* shrubs to promote soil rehabilitation in extensive oak woodlands of Mediterranean areas. *Plant and Soil*, 323 (1-2):249–265.
- Sousa V., Leal S., Quilho T., Pereira H. (2009) Characterization of cork oak (*Quercus suber*) wood anatomy. *IAWA Journal* 30(2):149-161
- Talhinhas P, Neves-Martins J, Oliveira H, Sreenivasaprasad S. 2009. The distinctive population structure of *Colletotrichum* species associated with o anthracnose in the Algarve region of Portugal reflects a host-pathogen diversity hot spot. *FEMS Microbiology Letters*. 296(1): 31-38
- Teixeira R.T., Pereira H. (2009) Ultrastructural observations reveal the presence of channels between Cork cells. *Microscopy and Microanalysis*. 15:539-544.
- Tomé M, Farrell T. 2009. Special issue on selected results of the FORSEE Project Foreword. *Annals of Forest Science*, 66(3)-300.
- Tonel I, Pinho M, Lordelo MM, Cunha LF, Garres P, Freire JPB. Effect of butyrate on gut development and intestinal mucosa morphology of piglets. *Livestock Science (In Press)* (IF=1.091)
- Trancoso I., Roseiro L. B., Martins A. P. L. & Trancoso M. A. (2009). Validation and quality assurance applied to goat milk chemical composition: Minerals and trace elements measurements. *DAIRY SCIENCE & TECHNOLOGY*, 89(3-4), pp. 241-256
- Unger, S., C. Maguas, J.S. Pereira, L. Aires, T.S. David and C. Werner. 2009. Partitioning carbon fluxes in a Mediterranean oak forest to disentangle changes in ecosystem sink strength during drought. *Agricultural and Forest Meteorology*. 149:949-961.



V. Ramon Vallejo, James Aronson, João S. Pereira, Juli G. Pausas & Christelle Fontaine (2009). The Way forward. In *Cork Oak Woodlands on the Edge: conservation, adaptive management, and restoration*. Chapter 20, pp. 235-245. Island Press.

VANDEWOESTIJNE S, RÓIS AS, CAPERTA A, BAGUETTE M, TYTECA D (2009). Effects of individual and population parameters on reproductive success in three sexually deceptive orchid species. *Plant Biology*, 11 (3): 454-63. DOI 10.1111/j.1438-8677.2008.00125.

Varenes A de, Cunha-Queda C, Ramos AR, 2009. Polyacrylate polymers as immobilizing agents to aid phytostabilization of two mine soils. *Soil Use and Management* 25: 133-140

Vieira, M.I., J.P. de Melo-Abreu, M.E. Ferreira, A.A. Monteiro. 2009. Dry matter and area partitioning, radiation interception and radiation-use efficiency in open-field bell pepper. *Scientia Horticulturae*, Volume 121(4), 404-409

Villamide, M.J., R. Carabaño, L. Maertens, J. Pascual, T. Gidenne, L. Falcao-E-Cunha, G. Xiccato., 2009. Prediction of the nutritional value of European compound feeds for rabbits by chemical components and in vitro analysis. *Animal Feed Science and Technology*, 150, 3-4, 283-294



Abreu M. M., Matias M. J., Magalhaes M. C. F. & Basto W. (2008). Impacts on water, soil and plants from the abandoned Miguel Vacas copper mine, Portugal. *JOURNAL OF GEOCHEMICAL EXPLORATION*, 96(2-3): 161-170.

Abreu, M. M.; Tavares, M. T. & Batista, M. J. (2008). Potential use of *Erica andevalensis* and *Erica australis* in phytoremediation of sulphide mine environments: Sao Domingos, Portugal. *JOURNAL OF GEOCHEMICAL EXPLORATION*, 96(2-3): 210-222.

Acácio, V., Holmgren, M., Rego, F., Moreira, F., Mohren, G. (2008). Are drought and fires turning Mediterranean cork oak forests into persistent shrublands? *Agroforestry Systems*, 76: 389-400.

Aires, LM, Pio, CA, Pereira, JS. 2008. Carbon dioxide exchange above a Mediterranean C3/C4 grassland during two climatologically contrasting years. *Global Change Biology*. 14:539-555.

Aires, LM, Pio, CA, Pereira, JS. 2008. The effect of drought on energy and water vapor exchange above a mediterranean C3/C4 grassland in Southern Portugal. *Agricultural and Forest Meteorology*. 148:565-579.

Alvarenga N, Silva P, Garcia JR, Sousa I, 2008. Estimation of Serpa cheese ripening time using multiple linear regression (MLR) considering rheological, physical and chemical data. *Journal of Dairy Research* 75: 1 - 7 (IF=1.507, C=0)

Alvarenga P, Palma P, Gonçalves AP Baião N, Fernandes RM, de Varennes A , Vallini G, Duarte E, Cunha-Queda AC 2008 Assessment of chemical, biochemical and ecotoxicological aspects in a mine soil amended with sludge of either urban or industrial origin. *Chemosphere* 72: 1774-1781.

Alvarenga P., Gonçalves A. P., Fernandes R. M., de Varennes A., Vallini G., Duarte E. & Cunha-Queda A. C. (2008). Evaluation of composts and liming materials in the phytostabilization of a mine soil using perennial ryegrass. *SCIENCE OF THE TOTAL ENVIRONMENT*, 406(1-2): 43-56.

Alvarenga P., Palma P., Gonçalves A. P., Fernandes R. M., de Varennes A., Vallini G., Duarte E. & Cunha-Queda A. C. (2008). Evaluation of tests to assess the quality of mine-contaminated soils. *ENVIRONMENTAL GEOCHEMISTRY AND HEALTH*, 30(2): 95-99.

Alves A, Rodrigues J, Wimmer R, Schwanninger M. 2008. Analytical pyrolysis as a direct method to determine the lignin content in wood. Part 2: Evaluation of the common model and the influence of compression wood. *Journal of Analytical and Applied Pyrolysis* .81(2): 167-172.

Anjos O, Pereira H, Rosa ME. 2008. Effect of quality, porosity and density on the compression properties of cork Holz als Roh- und Werkstoff. 66(4): 295-301.

Barata A., Caldeira J., Botelho R., Pagliara D., Malfeito-Ferreira M., Loureiro V. 2008. Survival patterns of *Dekkera bruxellensis* in wines and inhibitory effect of sulphur dioxide. *International Journal of Food Microbiology* 121: 201-207.

Barata A., González S., Malfeito-Ferreira M., Querol A., Loureiro V. 2008. Sour rot-damaged grapes are sources of wine spoilage yeasts. *FEMS Yeast Research* 8: 1008-1017.

Barata A., Pagliara D., Piccininno T., Tarantino F., Ciardulli W., Malfeito-Ferreira M., Loureiro V. 2008. The effect of sugar concentration and temperature on growth and volatile phenol production by *Dekkera bruxellensis* in wine. *FEMS Yeast Research* 8: 1097-1102.

Barata A., Seborro F., Belloch C., Malfeito-Ferreira M., Loureiro V. 2008. Ascomycetous yeast species recovered from grapes damaged by honeydew and sour rot. *Journal of Applied Microbiology* 104: 1182–1191.



- Bastos M. C., Mendonca M. H., Neto M. M. M., Rocha M. M. G. S., Proenca L. & Fonseca I. T. E. (2008). Corrosion of brass in natural and artificial seawater under anaerobic conditions. *JOURNAL OF APPLIED ELECTROCHEMISTRY*, 38(5): 627-635.
- Bastos M. C., Proença L. F. A., Neto M. M. M. & Fonseca I. T. E. (2008). Electrochemical studies on the corrosion of brass in seawater under anaerobic conditions. *JOURNAL OF SOLID STATE ELECTROCHEMISTRY*, 12,;121-131.
- Beirão-da-Costa S, Steiner A, Correia L, Leitão E, Empis J, Moldão-Martins M, 2008. Influence of moderate heat pre-treatments on physical and chemical characteristics of kiwifruit slices. *European Food Research and Technology*, 226(4), 641-651 (IF=1.515, C=2)
- Beirão-da-Costa S., Cardoso A., Martins L. L., Empis J. & Moldão-Martins M. (2008). The effect of calcium dips combined with mild heating of whole kiwifruit for fruit slices quality maintenance. *Food Chemistry*, 108(1): 191-197.
- Bento M, Pereira HS, Rocheta M, Gustafson P, Viegas W, Silva, M. 2008. Polyploidization as a Retraction Force in Plant Genome Evolution: Sequence Rearrangements in Triticale. *PLoS ONE* 3(1): e1402.doi:10.1371/journal.pone.0001402.
- Branco, M., Santos, M., Calvão, T., Telfer, G., Paiva, R. (2008). Arthropod diversity sheltered in *Thaumetopoea pityocampa* (Lepidoptera: Notodontidae) larval nests. *Insect Conservation and Diversity*, 1: 215-221.
- Bravo-Oviedo A, Tomé M, Bravo F, Montero G, Del Rio M. 2008. Dominant height growth equations including site attributes in the generalized algebraic difference approach. *Canadian Journal of Forest Research* 38:2348-2358.
- Brites C, Lourenço dos Santos C, Bagulho AS, Beirão-da-Costa ML, 2008 Effect of wheat puroindoline alleles on functional properties of starch. *Eur Food Res Technol.*, 226:1205-1212
- Bugalho M.N. and Abreu J.M. (2008). The multifunctional role of grasslands In: C. Porqueddu and M.M. Tavares de Sousa (Eds), *Sustainable Mediterranean Grasslands and Their Multifunctions*. *Option Méditerranéennes*, 79: 25-30.
- Bugalho M.N., Barcia P., Caldeira M.C. and J. O. Cerdeira (2008). Stable isotopes as ecological tracers: an efficient method for assessing the contribution of multiple sources to mixtures. *Biogeosciences*, 5, 1351–1359
- Bugalho MN, Barcia P, Caldeira MC, Cerdeira JO. 2008. Stables isotopes as ecological tracers: an efficient method for assessing the contribution of multiple sources to mixtures. *Biogeosciences* 5:1351–1359.
- Cabral F., Ribeiro H. M., Hilário L., Machado L. & Vasconcelos E. (2008). Use of pulp mill inorganic wastes as alternative liming materials. *BIORESOURCE TECHNOLOGY*, 99(17): 8294-8298.
- Caeiro, A., Ramos, C., Teixeira, A., Ferreira, R. (2008). The ubiquitin/proteasome pathway from *Lemna minor* subjected to heat shock. *Biol Plant*, 52 : 695-702;
- Calejo, M.J., Lamaddalena, N., Teixeira, J.L., Pereira, L.S., 2008. Performance analysis of pressurized irrigation systems operating on-demand using flow driven simulation models. *Agric. Water Manage.* 95(2): 154-162 (IF =1.388; C =1)
- Caperta A, Rosa M, Delgado M, Karimi D, Demidov D, Viegas W, Houben A (2008). Distribution patterns of phosphorylated Thr 3 and Thr 32 of histone H3 in mitosis and meiosis of plants. *Cytogenet. Genome Res.* 122:73-79
- Cardoso D, Cerdeira JO, Delorme C, Silva PC. 2008. Efficient edge domination in regular graphs, *Discrete Applied Mathematics* 156:3060–3065.



Carneiro M, Fabião A., Martins MC, Fabião A, Abrantes da Silva M, Hilário L, Lousã M, Madeira M. 2008. Effects of harrowing and fertilisation on understory vegetation and timber production of a *Eucalyptus globulus* Labill. plantation in Central Portugal. *Forest Ecology and Management* 255(3-4):591-597.

Carneiro MSC, Lordelo MM, Cunha LF, Freire JPB, 2008. Effects of dietary fibre source and enzyme supplementation on faecal apparent digestibility, short chain fatty acid production and activity of bacterial enzymes in the gut of piglets. *Animal Feed Science and Technology*, 146: 124-136 (IF= 1.458, C= 0)

Carvalhais, N, Reichstein M, Seixas, J, Collatz, GJ, Pereira, JS, Berbigier, P, Carrara, A, Granier, A, Montagnani, L, Papale, D, Rambal, S, Sanz, MJ, Valentini, R. 2008. Implications of the carbon cycle steady state assumption for biogeochemical modeling performance and inverse parameter retrieval. *Global Biogeochemical Cycles*, 22(2) – GB2007.

Castel-Branco, C.; Soares, A.L. 2008. Water system in historic gardens of Southern Europe - Portuguese case studies. In: *Transforming with water. Proceedings of the 45th World Congress of the International Federation of Landscape Architects - IFLA 2008*: 106-110. ISBN: 978-90-8594-021-0

"Catarino S., Curvelo-Garcia A. S. & de Sousa R. B. (2008). Contaminant elements in wines: A review. *CIENCIA E TECNICA VITIVINICOLA*, 23(1): 3-19.

"

Catarino S., Madeira M., Monteiro F., Rocha F., Curvelo-Garcia A. S. & de Sousa R. B. (2008). Effect of bentonite characteristics on the elemental composition of wine. *JOURNAL OF AGRICULTURAL AND FOOD CHEMISTRY*, 56(1): 158-165.

Catry, F.X., Rego F.C., Moreira F., Bação F. (2008). Characterizing and modelling the spatial patterns of wildfire ignitions in Portugal: fire initiation and resulting burned area. In: de las Heras J, Brebbia CA, Viegas D, Leone V (Eds.) *International Conference on Modelling, Monitoring and Management of Forest Fires*. WIT Press, Vol. 119, pp: 213-221, Toledo, Spain

Colaço, M.C. , Rego, F.2, Montiel, C. , Solana, J.3, Herrero, G.3, Alexandrian, D., Ubysz, B., Szczygiel, R 5, Piwnicki, J. 5, Sesbou A. (2008) Review of the existing fire detection systems in Europe and North Africa. In III International symposium on fire economics, planning, and policy: Common problems and approaches..CDROM (11pp) ,Carolina, Puerto Rico

Constantino M, Martins I, Borges JG. 2008. A new mixed integer programming model for harvest scheduling subject to maximum area restrictions. *Operations Research* 56: 542-551.

Correia, I, Almeida, MH, Aguiar, A, Alia, R, David, TS, Pereira, JS. 2008. Variations in growth, survival and carbon isotope composition ($\delta C-13$) among *Pinus pinaster* populations of different geographic origins. *Tree Physiology*. 28:1545-1552.

Cortes RM, Oliveira SV, Hughes SJ, Ferreira MT. 2008. Combining habitat and biological characterization: ecological validation of the river habitat survey. *Limnetica*, 27(1):39-56.

COSME, F.; RICARDO-DA-SILVA, J.M.; LAUREANO, O. (2008) Interactions between protein fining agents and proanthocyanidins in white wine. *Food Chemistry*, 106 (2): 536-544.

Costa A, Madeira M, Oliveira AC. 2008. The relationship between cork oak growth patterns and soil, slope and drainage in a cork oak woodland in Southern Portugal. *Forest Ecology and Management*, 255:1525-1535.

Costa A., Barata A., Malfeito-Ferreira M., Loureiro V. 2008. Evaluation of the inhibitory effect of dimethyl dicarbonate (DMDC) against wine microorganisms. *Food Microbiology* 25: 422-427.



COSTA J.C., Monteiro-Henriques T., Neto C., Arsénio P. & Aguiar C. (2008) - The application of the habitats directive in Portugal. *Fitosociologia* 44 (2) suppl.1: 23-28.

Costa, J.L, Domingos, I., Assis, C.A., Almeida, P.R., Moreira, F., Feunteun, E., Costa, M.J. (2008). Comparative ecology of the European eel, *Anguilla anguilla* (L., 1758), in a large Iberian river. *Environmental Biology of Fishes*, 81: 421-434.

Daam MA, Crum SJH, Van den Brink PJ, Nogueira AJA, 2008. Fate and effects of the insecticide chlorpyrifos in outdoor plankton-dominated microcosms in Thailand. *Environmental Toxicology and Chemistry*, 27, 2530-2538. (IF= 2.309; C=0)

Daam MA, Van den Brink PJ, Nogueira AJA, 2008. Impact of single and repeated applications of the insecticide chlorpyrifos on tropical freshwater plankton communities. *Ecotoxicology* 17, 756-771. (IF= 2.405; C=0)

Duarte, M. C., Rego, F., Romeiras, M. M., Moreira, I. (2008) Plant species richness in the Cape Verde Islands - ecological determinants. *Biodiversity and Conservation* 17: 453-466.

Esteves B Marques AV Domingos I Pereira H. 2008. Heat-induced colour changes of pine (*Pinus pinaster*) and eucalypt (*Eucalyptus globulus*) wood *Wood Science and technology* 42(5):369-384.

Esteves B, Graça J, Pereira H. 2008. Extractive composition and summative chemical analysis of thermally treated eucalypt wood. *Holzforschung* 62 (3):344-351.

Esteves B, Pereira H. 2008. Quality assessment of heat-treated wood by NIR spectroscopy. *Holz als Roh- und Werkstoff* 66(5):323-332.

Fangueiro D., Chadwick D. & Bol R. (2008). Assessment of the potential N mineralization of different particle-size fractions in two dairy cattle slurries. *JOURNAL OF PLANT NUTRITION AND SOIL SCIENCE-ZEITSCHRIFT FÜR PFLANZENNAHRUNG UND BODENKUNDE*, 171(3): 313-315.

Fangueiro D., Coutinho J., Chadwick D., Moreira N. & Trindade H. (2008). Effect of Cattle Slurry Separation on Greenhouse Gas and Ammonia Emissions during Storage. *JOURNAL OF ENVIRONMENTAL QUALITY*, 37(6): 2322-2331.

Fangueiro D., Pereira J., Chadwick D., Coutinho J., Moreira N. & Trindade H. (2008). Laboratory assessment of the effect of cattle slurry pre-treatment on organic N degradation after soil application and N₂O and N₂ emissions. *NUTRIENT CYCLING IN AGROECOSYSTEMS*, 80(2): 107-120.

Fangueiro D., Pereira J., Coutinho J., Moreira N. & Trindade H. (2008). NPK farm-gate nutrient balances in dairy farms from Northwest Portugal. *EUROPEAN JOURNAL OF AGRONOMY*, 28(4): 625-634.

Fangueiro D., Senbayram M., Trindade H. & Chadwick D. (2008). Cattle slurry treatment by screw press separation and chemically enhanced settling: Effect on greenhouse gas emissions after land spreading and grass yield. *BIORESOURCE TECHNOLOGY*, 99(15): 7132-7142.

Ferreira R., Monteiro S., Freitas R., Santos C., Borges A., Chen Z., Batista L., Duarte J., Teixeira, A. (2008). Plant/Fungal Interactions Studied at the Molecular Level. In *Plant Pathology. Concepts and Laboratory exercises*. Trigiano, R., Whindham M., Whindham A. (Eds). CRC Press, pp. 309 – 322;

Ferreira-Dias, S. (2008) The Use of Immobilised Lipases in the Food Industry- Factors and Facts, In: *Current Topics on Bioprocessing in Food Industry*, Vol. 2, chapter 8, (A. Koutinas, A. Pandey, eds.), Asiatech Publishers Inc., New Deli (India), pp. 105-131.



Franco JC, Silva EB, Cortegano E, Campos L, Branco M, Zada A, Mendel Z. 2008. Kairomonal response of the parasitoid *Anagyrus spec. nov.* near *pseudococci* to the sex pheromone of the vine mealybug. *Entomologia Experimentalis et Applicata* 126: 122-130.

Gaspar, MJ, Louzada, JL, Aguiar, A, Almeida, MH. 2008. Genetic correlations between growth and wood quality traits of *Pinus pinaster* Ait. *Annals of Forest Science*, 65(7) – 73.

Gaspar, MJ, Louzada, JL, Silva, ME, Aguiar, A, Almeida, MH. 2008. Age trends in genetic parameters of wood density components in 46 half-sibling families of *Pinus pinaster* Can. *J. For. Res.* 38: 1470-1477.

"Geraldes V., Anil A. de Pinho M. N. & Duarte E. (2008). Dissolved air flotation of surface water for spiral-wound module nanofiltration pre-treatment. *Desalination*. 228(1-3): 191-199. Published: 2008

"

Gomez-Rey M. X., Madeira M. & Vasconcelos E. (2008). Effects of organic residues management and legume cover on growth of pine seedlings, nutrient leaching and soil properties. *ANNALS OF FOREST SCIENCE*, 65(8), article number: 807.

Gomez-Rey M. X., Vasconcelos E. & Madeira M. (2008). Effects of eucalypt residue management on nutrient leaching and soil properties. *EUROPEAN JOURNAL OF FOREST RESEARCH*, 127(5): 379-386.

Gonçalves JC, Diogo G, Coelho MT, Vidal N, Amâncio S (2008) Quantitation of endogenous levels of IAA, IAAsp and IBA in micropropagated shoots of hybrid chestnut pre-treated with IBA. *In Vitro Cell Dev Biol– Plant.* 44: 412-418;

González-Altozano, P., Pavel, E.W., Oncins, J.A., Doltra, J., Cohen, M., Paço, T.A., Massai, R., Castel, J.R., 2008. Comparative assessment of five methods of measuring sap flow in peach trees. *Agricultural Water Management* 95: 503-515.

Goulão LF and Oliveira, C.M. 2008. Cell wall modifications during fruit ripening: when a fruit is not the fruit. *Trends in Food Science and Technology* 19: 4-25. (IF= 3.739; C=0)

Goulão LF, Cosgrove, D.J. and Oliveira, C.M. 2008. Cloning, characterisation and expression analyses of cDNA clones encoding cell wall-modifying enzymes isolated from ripe apples. *Postharvest Biology and Technology* 48:37-51 (IF= 1.590; C=2)

Gouveia L, Batista AP, Raymundo A, Bandarra NM, 2008. *Spirulina maxima* and *Diacronema vlkianum* microalgae in vegetable gelled desserts. *Nutrition and Food Science*, 38(5), 492-501 (IF=1.304, C= 0)

Gouveia L, Coutinho C, Mendonça E, Batista AP, Sousa I, Bandarra NM, Raymundo A, 2008. Functional biscuits with PUFA- ω 3 from *Isochrysis galbana*. *Journal of the Science of Food and Agriculture*, 88(5): 891-896 (IF=1.304, C= 0)

Gouveia, C, Trigo, RM, DaCamara, CC, Libonati, R, Pereira, JM. 2008. The North Atlantic oscillation and European vegetation dynamics. *International Journal of Climatology*, 28:1835–1847. DOI:10.1002/joc.1682.

Gouveia, L.; Batista, A.P.; Sousa, I.; Raymundo, A. Bandarra, N., 2008. Microalgae in novel food products. In *Food Chemistry Research Developments*. Ed. Papadopoulos, K.N. Nova Science Publishers, Inc. Accepted for Publication on November 7, . In press. ISBN 978-1-60456-262-0

Grosso A. C., RODRIGUES L., Gomes I., Martins E.S. & Teixeira G. (2008) Preliminary data on microcharacters and chromosome number in *Tornabenea* species (Apiaceae) from Cape Verde Islands. *Plant Biosystems* 142: 87-93



- Guerreiro CIPD, Ribeiro T, Ponte PIP, Lordelo MM, Falcão L, Freire JPB, Ferreira LMA, Prates JAM, Fontes CMGA, 2008. Role of a family 11 carbohydrate-binding module in the function of a recombinant cellulase used to supplement a barley-based diet for broiler chickens. *British Poultry Science*, 49: 446-454 (IF= 1.071, C= 1)
- Guiwei Q., de Varennes A. & Cunha-Queda C. (2008). Remediation of a mine soil with insoluble polyacrylate polymers enhances soil quality and plant growth. *SOIL USE AND MANAGEMENT*, 24(4): 350-356.
- Hernández-Santana, V, David, TS, Martínez-Fernández, J. 2008. Environmental and plant-based controls of water use in a Mediterranean oak stand. *Forest Ecology and Management*, 255: 3707-3715.
- Hughes SJ, Ferreira MT, Cortes RV. 2008. Hierarchical spatial patterns and drivers of change in benthic macroinvertebrate communities in an intermittent Mediterranean stream. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 18:742-760.
- Infantino, A., Pereira, T., Ferrari, C., Cerejeira, M.J. & Di Guardo, A., 2008. Calibration and validation of a dynamic water model in agricultural scenarios. *Chemosphere*, 70 (7), 1298-1308 (IF= 2.739; C=0)
- Jordao A.M., Ricardo-da-Silva J.M., Laureano O., Mullen W., Crozier A. 2008. Effect of ellagitannins, ellagic acid and volatile compounds from oak wood on the (+)-catechin, procyanidin B1 and malvidin-3-glucoside content of model wines. *Australian Journal of grape and wine Research* 14: 260-270.
- Knapic S, Louzada JL, Leal S, Pereira H. 2008. Within-tree and between-tree variation of wood density components in cork oak trees in two sites in Portugal, *Forestry*, 81(4): 465-473.
- Le Page, Y, Pereira, JM, Trigo, R, da Camara, C, Oom, D, Mota, B. 2008. Global fire activity patterns (1996–2006) and climatic influence: an analysis using the World Fire Atlas. *Atmospheric Chemistry and Physics*, 8, 1911–1924.
- Leal S, Nunes E, Pereira H. 2008. Cork oak (*Quercus suber* L.) wood growth and vessel characteristics variations in relation to climate and cork harvesting. *European Journal of Forest Research* 127:33-41.
- Leandro M.J., Spencer-Martins I., Gonçalves P. 2008. The expression in *S. cerevisiae* of a glucose/xylose symporter from *Candida intermedia* is affected by the presence of a glucose/xylose facilitator. *Microbiology* 154: 1646-1655.
- Leitao L., Dizengremel P., Biolley J. P. 2008. Foliar CO₂ fixation in bean (*Phaseolus vulgaris* L.) submitted to elevated ozone: distinct changes in Rubisco and PEPc activities in relation to pigment content. *Ecotoxicology and Environmental Safety* 69: 531-540.
- Li Y-L, Tenhunen J, Mirzaei H, Hussain MZ, Siebicke L, Foken T, Otieno D, Schmidt M, Ribeiro N, Aires L, Pio C, Banza J, Pereira JS. 2008. Assessment and up-scaling of CO₂ exchange by patches of the herbaceous vegetation mosaic in a Portuguese cork oak woodland. *Agric. For. Meteorol.* 148, 1318 - 1331.
- LOPES, C.M., MONTEIRO, A., Machado, J.P., Fernandes, N. & Araújo A. 2008 Cover cropping in a sloping non-irrigated vineyard: II - Effects on vegetative growth, yield, berry and wine quality of 'Cabernet sauvignon' grapevines. *Ciência Téc. Vitiv.*, 23 (1) 37-43. (ISI – Thompson Reuters)
- Lopez-Pineiro A., Albarran A., Nunes J. M. R. & Barreto C. (2008). Short and medium-term effects of two-phase olive mill waste application on olive grove production and soil properties under semiarid mediterranean conditions. *BIORESOURCETECHNOLOGY*, 99(17): 7982-7987.
- Lopez-Pineiro A., Fernandez J., Albarran A., Nunes J. M. R. & Barreto C. (2008). Effects of de-oiled two-phase olive mill waste on mediterranean soils and the wheat crop. *SOIL SCIENCE SOCIETY OF AMERICA JOURNAL*, 72(2): 424-430.



- Lordelo MM, Gaspar AM, Le Bellego L, Freire JPB, 2008. Isoleucine and valine supplementation of a low-protein corn-wheat-soybean meal-based diet for piglets: Growth performance and nitrogen balance. *J. Anim Sci.*, 86, 2936-2941 (IF=2.102, C=0)
- Lordelo MM, Shaaban SA, Dale NM, Calhoun MC, Vendrell PF, Davis AJ, 2008. Near infrared reflectance spectroscopy for the determination of free gossypol in cottonseed meal. *Journal of Applied Poultry Research*, 17: 243-248 (IF= 0.588, C= 0)
- Lourenco A, Baptista I, Gominho J, Pereira H. 2008. The influence of heartwood on the pulping properties of *Acacia melanoxylon* wood. *Journal of Wood Science* 54(6): 464-469. 10th World Conference on Timber Engineering, Jun. 2008, Miyazaki, Japan.
- Matos TJS, Bruno-Soares A, Jensen BB, Barreto ASFH, Hojberg O, 2008. Growth inhibition of bacterial isolates recovered from two types of Portuguese dry smoked sausages (chouriço). *Meat Science*, 80: 1352-1358 (IF=2.006, C=1)
- Mendes, JM, de Zea Bermudez, P, Pereira, JM, Turkman, KF, Vasconcelos, MJ. 2008. Spatial extremes of wildfire sizes: Bayesian hierarchical models for extremes. *Environmental and Ecological Statistics*. DOI 10.1007/s10651-008-0099-3.
- Menezes, A., Amaral, C., Batista-Nascimento L., Santos, C., Ferreira R., Devaux F., Eleutherio, E., Rodrigues-Pousada, C. (2008) Contribution of Yap1 towards *S. cerevisiae* adaptation to arsenic mediated oxidative stress. *Biochem J.* 414 : 301-311;
- MONTEIRO A., LOPES C.M., Machado J.P., Fernandes N., Araújo A. & MOREIRA I. 2008 Cover cropping in a sloping, non-irrigated vineyard: I – Effects on weed composition and dynamics. *Ciência Téc. Vitiv.*, 23 (1) 29-36. (ISI – Thompson Reuters)
- Moreira E., Mexia J.T., Pereira L.S., 2008. Assessing cycles of severe/extreme drought events using spectral analysis of precipitation time series. In: H.M. Andreassen (ed.) *New Topics in Water Resources Research and Management*, Nova Science Publishers, New York, (in press)
- Moreira, E.E., Coelho, C.A., Paulo, A.A., Pereira, L.S., Mexia, J.T., 2008. SPI-based drought category prediction using loglinear models. *J. Hydrology*, 354, 116- 130 (IF = 2.161; C =1)
- Moura P., Cabanas S., Lourenco, P., Girio F., Loureiro-Dias M.C., Esteves M.P. 2008. In vitro fermentation of selected xylo-oligosaccharides by piglet intestinal microbiota. *Lwt-Food Science and Technology* 41: 1952-1961.
- Nadezhdina, N., Ferreira, M.I., Silva, R., Pacheco, C.A., 2008. Seasonal variation of water uptake of a *Quercus suber* tree in Central Portugal. *Plant and Soil* 305: 105-119 (IF = 1.821; C=0)
- Neto C, Carranca C, Clemente J, de Varennes A. 2008 Nitrogen distribution, remobilization and re-cycling in young orchard of non-bearing 'Rocha' pear trees. *Scientia Horticulturae* 118: 299-307.
- Neto C., Costa J.C., Honrado J. & Capelo J. (2008) – Phytosociological associations and Natura 2000 habitats of Portuguese coastal dunes. *Fitosociologia* 44 (2) suppl.1: 29-35.
- Neves E., Lourenço A., Silva A.C., Coutinho R., Brito L. 2008. Pulsed-field gel electrophoresis (PFGE) analysis of *Listeria monocytogenes* isolates from different sources and geographical origins and representative of the twelve serovars. *Systematic and Applied Microbiology* 31: 387–392.
- Neves E., Silva A.C., Roche S.M., Velge P., Brito L. 2008. Virulence of *Listeria monocytogenes* isolated from the cheese dairy environment, other foods and clinical cases. *Journal of Medical Microbiology* 57: 411–415.



Neves O., Abreu M. M. & Vicente E. M. (2008). Uptake of uranium by lettuce (*Lactuca sativa* L.) in natural uranium contaminated soils in order to assess chemical risk for consumers. *WATER AIR AND SOIL POLLUTION*, 195(1-4): 73-84.

"Nunes J. R., Cabral F. & Lopez-Pineiro A. (2008). Short-term effects on soil properties and wheat production from secondary paper sludge application on two Mediterranean agricultural soils. *BIORESOURCING TECHNOLOGY*, 99(11): 4935-4942.

"

Oliveira A.P., Pampulha M.E., Bennet J.P. 2008. A two years field study with transgenic *Bacillus thuringiensis* maize: Effects on soil microorganisms. *Science of the Total Environment* 405: 351-357.

Osório NM, Ribeiro MH, da Fonseca MMR, Ferreira-Dias S, 2008. Interesterification of fat blends rich in omega-3 polyunsaturated fatty acids catalysed by immobilized *Thermomyces lanuginosa* lipase under high pressure. *Journal of Molecular Catalysis- B Enzymatic*, 52-53: 58-66 (IF= 1.973, C=0)

Paiva JAP, Garces M, Alves A, Garnier-Gere P, Rodrigues JC, Lalanne C, Porcon S, Le Provost G, Perez DD, Brach J, Frigerio JM, Claverol S, Barre A, Fevereiro P, Plomion C. 2008. Molecular and phenotypic profiling from the base to the crown in maritime pine wood-forming tissue *New Phytologist* 178 (2): 283-301.

Paiva JAP, Garnier-Gere PH, Rodrigues JC, Alves A, Santos S, Graca J, Le Provost G, Chaumeil P, Silva-Perez D, Bosc A, Fevereiro P, Plomion C. 2008. Plasticity of maritime pine (*Pinus pinaster*) wood-forming tissues during a growing season. *New Phytologist* 179 (4): 1080-1094.

Paulo, A.A., Pereira, L.S., 2008. Stochastic prediction of drought class transitions. *Water Resour. Manage.* 22: 1277-1296 (IF = 0.79; C = 1)

Pereira J.S., Kurz-Besson C., David T. S., Vaz M and Chaves M.M. (2008) Coping with drought and climate change, In *Cork Oak Woodlands in Transition: Ecology, Biogeography, and Restoration of an Ancient Mediterranean Ecosystem, Part II. Scientific Bases for Restoration and Management*, J. Aronson, J. S. Pereira and J. G. Pausas (Eds) (in press);

Pires AS, Osório NM, Nascimento AC, van Keulen F, da Fonseca MMR, Ferreira-Dias S, 2008. Pattern-Recognition of lipase-catalysed or chemically-interesterified fat blends containing omega-3 polyunsaturated fatty acids, *Eur. J. Lipid Sci. Tech.*, 110: 893-904 (IF= 0.911, C= 0)

Poças I., Cunha M., Pereira L.S., 2008. Los lameiros, pastizales seminaturales de regadio de montaña: sistemas ancestrales en el paisaje rural portugués del siglo XXI. In: J. Palerm, T. Martínez, M. Castro, L.S. Pereira (eds.) *Antología sobre Riegos Ancestrales y Pequeño Riego*, COLPOS y CYTED, Montecillo, Mexico (in press)

Ponte PIP, Lordelo MM, Guerreiro CIPD, Soares MC, Mourão JL, Crespo JP, Crespo DG, Prates JAM, Ferreira LMA, Fontes CMGA, 2008. Crop β -glucanase activity limits the effectiveness of a recombinant cellulase used to supplement a barley-based feed for free-range broilers. *British Poultry Science*, 49: 347-359 (IF= 1.071, C= 0)

Popova, Z., Pereira, L.S., 2008. Irrigation scheduling for furrow irrigated maize under climate uncertainties in the Thrace Plain, Bulgaria. *Biosystems Engineering* 99. 587-597 (IF = 0.862; C = 1)

Preuss, Sasha., Costa-Nunes, P., Tucker, S., Pontes, O., Lawrence, R. J., Mosher, R., Kasschau, K. D., Carrington, J. C., Baulcombe, D. C., Viegas, W. and Pikaard, C. S. (2008) Multimegabase Silencing in Nucleolar Dominance Involves siRNA-Directed DNA Methylation and Specific Methylcytosine-Binding Proteins. *Molecular Cell* 32, 673-684

Raziei, T., Bordi, I., Pereira, L.S., 2008. A precipitation-based regionalization for Western Iran and regional drought variability. *Hydrol. Earth Syst. Sci.*, 12: 1309-1321 (IF =2.270; C = 0)



Ribeiro T, Ponte PIP, Guerreiro CIPD, Santos HM, Falcão L, Freire JPB, Ferreira LMA, Prates JAM, Fontes CMGA, Lordelo MM, 2008. A Family 11 Carbohydrate Binding Module (CBM) improves the efficacy of a recombinant cellulase used to supplement barley-based diets for broilers at lower dosage rates. *British Poultry Science*, 49: 600-608 (IF= 1.071, C= 0)

Ribeiro; T., Barão;a., Viegas; W., Morais-Cecilio, L. (2008) Molecular cytogenetics of forest trees *Cytogenetics and Genome Research* 120:220–227

RODRIGUES L., Monteiro P. PÓVOA O., Teixeira G., Moldão M., Figueiredo A & MONTEIRO A. (2008) Chemodiversity studies on *Mentha cervina* L. populations from Portugal. *Planta Medica* 74: 1199.

RODRIGUES L., Monteiro P., PÓVOA O., Teixeira G., Moldão M., Figueiredo A. & MONTEIRO A. (2008) Morphology of secretory structures and essential oil composition in *Mentha cervina* L. from Portugal. *Flavour Fragr. J.* 23: 340-347.

Rodrigues, M. L., Santos, T.P., Rodrigues, A.P., Souza, C.R., Lopes, C.M., Maroco, J.P., Pereira, J.S., Chaves, M.M. 2008. Hydraulic and chemical signalling in the regulation of stomatal conductance and plant water use in field grapevines growing under deficit irrigation. *Func Plant Biol*, 35: 565–579;

Rodriguez-Gonzalez P, Pereira JS, Ferreira MT. 2008. Tree foliar $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ signatures in Ibero-Atlantic forested wetlands. *International Association of Theoretical And Applied Limnology - Proceedings*, 30(3):391-394.

RODRÍGUEZ-GONZÁLEZ P.M., Ferreira M.T., Albuquerque A., ESPÍRITO-SANTO D. & Ramil Rego P. (2008). Spatial variation of wetland woods in the latitudinal transition to arid regions: a multiscale approach. *J. Biogeogr.* 35: 1498-1511

S. Amâncio, S. Tavares, J.C. Fernandes & C. Sousa (2008) GRAPEVINE & SULFUR:OLD PARTNERS, NEW ACHIEVEMENTS. K.A. Roubelakis-Angelakis (ed.), *Grapevine Molecular Physiology & Biotechnology*, 2nd edn., DOI 10.1007/978-90-481-2305-6_2

Sacadura FC, Robinson PH, Evans E, Lordelo MM, 2008. Effects of a ruminally protected B-vitamin supplement on milk yield and composition of lactating dairy cows. *Animal Feed Science and Technology*, 144: 111-124 (IF=1.458, C= 1)

Sampaio A, Rodriguez-Gonzalez, P M, Oliveira SV, Cortes RV, Ferreira MT. 2008. Leaf litter decomposition in Western Iberian Forested wetlands: lentic vs. lotic response. *Limnetica*, 27(1):93-106.

Santos JM, Ferreira MT. 2008. Microhabitat use by endangered Iberian cyprinid nase *Iberochondrostoma almakai* and chub *Squalius aradensis*. *Aquatic Sciences*, 70(3):272-281.

Santos JM, Pinheiro PJ, Ferreira MT, Bochechas J. 2008. Monitoring fish passes using infrared beaming: a case-study in an Iberian river. *Journal of Applied Ichthyology*. 24(1):26-30.

Schultz, MG, Heil, A, Hoelzemann, JJ, Spessa, A, Thonicke, K, Goldammer, JG, Held, AC, Pereira, JMC, van het Bolscher, M. 2008. Global wildland fire emissions from 1960 to 2000. *Global Biogeochemical Cycles*, 22(2) - GB2002, doi:10.1029/2007GB003031.

Sequeira M., CAPELO J., COSTA J.C. & Jardim R. (2008) *Teucrium francoi* M. Seq., Capelo, J.C. Costa & R. Jardim, a new species of *Teucrium* gr. *scorodonia* (Labiatae) from Madeira. *Botanical Journal of the Linnean Society*. 156 (4., pp. 639-647

Shatalov AA, Pereira H. 2008. *Arundo donax* L. reed: New perspectives for pulping and bleaching - 5. Ozone-based TCF bleaching of organosolv pulps. *Bioresource Technology* 99(3): 472-478.



- Shatalov AA, Pereira H. 2008. Effect of xylanases on peroxide bleachability of eucalypt (*E. globulus*) kraft pulp. *Biochemical Engineering Journal* 40(1): 19-26.
- Shvaleva A, Costa e Silva F, Scotti P, Mouhssin O, Hausman J F, Guignard C, Ramos P, Almeida M. H, Rodrigues M. L, Pereira J S., Chaves M. M . 2008 Physiological and biochemical responses to low non-freezing temperature of two *Eucalyptus globulus* clones differing in drought resistance. *Ann Forest Science* 65, 204: 1-10;
- Silva A, Soares-Pereira AL, Martins C, Bruno-Soares AM, Murray I, 2008. The use of visible and near infrared reflectance spectroscopy to predict beef *M. longissimus thoracis et lumborum* quality attributes. *Meat Science*, 78:217-224 (IF=2.006, C=2)
- Silva L., Bugalho M.N., do Ó A.(2008). Heat waves and forest fires: Summer 2003 in Portugal. WWF Report. In: (Eds) Stolton S., Dudley N. and Randall J. *Natural Security Protected areas and hazard mitigation*. WWF Report pp: 74-79
- Silva M, Pereira HS, Bento M, Ana-Paula Santos, Shaw P, Delgado M, Neves, N., Viegas W. 2008. Interplay of Ribosomal DNA Loci in Nucleolar Dominance: Dominant NORs Are Up-regulated by Chromatin Dynamics in the Wheat-Rye System. *PLoS ONE* 3(12): e3824. doi:10.1371/journal.pone.0003824.
- Soveral G., Madeira A., Loureiro-Dias M.C., Moura T. 2008. Membrane tension regulates water transport in yeast. *Biochimica et Biophysica Acta* 778: 2573-2579.
- Spranger I., Sun B.S., Mateus A.M., de Freitas V., Ricardo-da-Silva J.M. 2008. Chemical characterization and antioxidant activities of oligomeric and polymeric procyanidin fractions from grape seeds. *Food Chemistry* 108: 519-532.
- Talhinhas, P.; Muthumeenakshi, S.; Neves-Martins, J.; Oliveira, H. & Sreenivasaprasad, S. (2008). Agrobacterium-mediated transformation and insertional mutagenesis in *Colletotrichum acutatum* for investigating varied pathogenicity lifestyles. *Molecular Biotechnology* 39(1):57-67. DOI: 10.1007/s12033-007-9028-1
- Tavares M. T., Sousa A. J. & Abreu M. M. (2008). Ordinary kriging and indicator kriging in the cartography of trace elements contamination in Sao Domingos mining site (Alentejo, Portugal). *JOURNAL OF GEOCHEMICAL EXPLORATION*, 98(1-2): 43-56.
- Tavares S, Sousa C, Carvalho LC, Amâncio S. (2008) De-repressed sulfate transporters are strongly and rapidly repressed after sulfate addition to sulfur depleted *Vitis* cells. *Int J Plant Sci.* 169: 987-997;
- Teixeira G., MONTEIRO A. & Pepo C. 2008. Leaf Morphoanatomy in *Hakea sericeae* and *H. salicifolia*. *Microscopy and Microanalysis*, 14 (Suppl. 3), 109-110.
- Tenhunen J, Geyer R, Banza J, Besson C, Carreiras J, Dinh NQ, Herd A, Joffre R, Miglietta F, Mirzae H, Otieno D, Owen K, Pereira JS, Rambal S, Reichstein M, Ribeiro N, Schmidt M, Wenigmann M, and Xiao X. (2008) Assessing Ecology, Vulnerability and Ecosystem Services of Mediterranean Oak Woodlands. In *Cork Oak Woodlands in Transition: Ecology, Biogeography, and Restoration of an Ancient Mediterranean Ecosystem, Part II. Scientific Bases for Restoration and Management*, J. Aronson, J. S. Pereira and J. G. Pausas (Eds) (in press)
- Vazquez-Pique J, Pereira H. 2008. What to take in account to develop cork weight models?: review and statistical considerations. *Investigation Agraria-Sistemas y Recursos Forestales* 17(3): 199-215.
- Vilela BJ, Carvalho LC, Amâncio S (2008) - Integration of stress produced reactive oxygen species in the stomatal regulation of micropropagated *Vitis vinifera* L. plantlets impaired in ABA signaling. *Plant Signal & Behavior.* 3: 558-559 (Addenda, Invitation by Editor)



Wingate, L, Seibt, U, Maseyk, K, Ogee, Almeida JP, Yakir, D, Pereira, JS, Mencuccini, M. 2008. Evaporation and carbonic anhydrase activity recorded in oxygen isotope signatures of net CO₂ fluxes from a Mediterranean soil. *Global Change Biology*. 14:2178-2193.

Zada A, Dunkelblum E, Assael F, Franco JC, Silva EB, Protasov A, Mendel Z. 2008. Attraction of *Planococcus ficus* males to racemic and chiral pheromone baits: flight activity and bait longevity. *Journal of Applied Entomology* 132 (6): 480-489.

Cholpankulov, E. D., Inchenkova, O. P., Paredes, P., Pereira, L.S., 2008. Cotton irrigation scheduling in Central Asia: Model calibration and validation with consideration of groundwater contribution. *Irrig. and Drain*. 57: 516-532 (IF = 0.623; C = 1)



- Abrantes S., Amaral E., Costa A. P., Shatalov A. A., Duarte A. P. (2007) Evaluation of giant reed as a raw-material for paper production. *Appita Journal* 60(5): 410-415.
- Abrantes S., Amaral E., Costa A. P., Shatalov A. A., Duarte A. P. (2007) Hydrogen peroxide bleaching of *Arundo donax* L. kraft-anthraquinone pulp – Effect of a chelating stage. *Industrial Crops and Products* 25(3) 288-293.
- Acácio, V., Holmgren, M., Jansen, P.A., Schrotter, O. (2007) Multiple recruitment limitation causes arrested succession in mediterranean Cork Oak systems. *Ecosystems*. 10 (7): 1220-1230. IF= 3.455; n° C=0
- Aguiar, F.C., M.T. Ferreira, A. Albuquerque & I. Moreira. Alien and endemic flora on reference and non-reference sites from Mediterranean type-streams of Portugal. *Aquatic Conservation: Marine and Freshwater Ecosystems*. 17: 335–347
- Allen R.G., Wright J.L., Pruitt W.O., Pereira L.S., Jensen M.E., 2007. Water Requirements. In: G.J. Hoffman, R.G. Evans, M.E. Jensen, D.L. Martin, R.L. Elliot (eds.) *Design and Operation of Farm Irrigation Systems* (2nd Edition), ASABE, St. Joseph, MI, pp. 208-288.
- Almadanim, M.C., Baleiras-Couto, M.M., Pereira, H.S., Carneiro, L.C., Feveiro, P., Eiras-Dias, J.E., Morais, L., Viegas, W. and Veloso, M.M. 2007. Genetic diversity of the grapevine (*Vitis vinifera* L.) cultivars most utilized for wine production in Portugal. *Vitis*, 46:116-119.
- Alvarenga P., Palma P., Gonçalves A. P., Fernandes R. M., Cunha-Queda A. C., Duarte E. & Vallini G. (2007). Evaluation of chemical and ecotoxicological characteristics of biodegradable organic residues for application to agricultural land. *ENVIRONMENT INTERNATIONAL*, 33(4):505-513.
- Alves A, Santos A, Silva-Perez D, Rodrigues JC, Pereira H, Simões R, Schwanninger M. NIR PLSR model selection for Kappa number prediction of Maritime pine Kraft pulps. *Wood Science and Technology*. 41:491–499.
- António, N., Tomé, M., Soares, P., Tomé, J., Fontes, L. (2007). Effect of tree, stand, and site variables on the allometry of *Eucalyptus globulus* tree biomass. *Canadian Journal of Forest Research* 37 (5): pp. 895-902
- Aragon, C.C., Ferreira-Dias, S., Gattás, E.A.L., Peres. M.F.S, 2007. Characterization of glycerol kinase from baker's yeast: Response Surface Modeling of the Enzymatic Reaction, *J. Molecular Catalysis- B Enzymatic* (in press; I.F.= 2.149; doi: 10.1016/j.molcatb.2007.11.009).
- Batista M. J., Abreu M. M. & Pinto M. S. (2007). Biogeochemistry in Neves Corvo mining region, Iberian Pyrite Belt, Portugal. *JOURNAL OF GEOCHEMICAL EXPLORATION*, 92(2-3): 159-176.
- BRAGA, A.; COSME, F.; J. M. RICARDO-DA-SILVA; O. LAUREANO (2007) Gelatine, casein and potassium caseinate as distinct wine fining agents: Different effects on colour, phenolic compounds and sensory characteristics. *J. Int. Sci.Vigne Vin*, 41 (4):
- Bucci G., González-Martínez, S. C., Christophe P., Ribeiro M.M., Sebastiani F., Alía, R. Vendramin G.G. (2007) Range-wide phylogeography and delineation of gene zones in *Pinus pinaster* Ait. based on chloroplast microsatellite markers. *Molecular Ecology* 16:2137-2153.
- Cabrita M.J.; Costa Freitas A.M.; Laureano O.; Borsa D. and Stefano, R Di (2007) – Aroma compounds in varietal wines from Alentejo, Portugal. *Journal of Food Composition and Analysis*, 20: 375-390
- Cai JB, Liu Y, Lei TW, Pereira LS, 2007. Estimating reference evapotranspiration with the FAO Penman-Monteith equation using daily weather forecast messages. *Agric. For. Meteorol.* 145: 22-35



- Calha I.M., Osuna M.D., Serra C., Moreira I., De Prado R. & Rocha F. (2007) Mechanisms of resistance to bensulfuron-methyl in *Alisma plantago-aquatica* biotypes from Portuguese rice paddy fields. *Weed Research* 47: 231-240
- Cameira, M. R., Fernando, R. M., Ahuja, L., Ma, L., 2007. Using RZWQM to Simulate the Fate of Nitrogen in Field Soil - Crop Environment in the Mediterranean Region. *Agricultural Water Management*, 90: 121-136.
- Campagnolo ML, Cerdeira JO, Contextual classification of remote sensing images with integer linear programming, in *Computational Modelling of Objects Represented in Images: Fundamentals, Methods and Applications*, Taylor and Francis, London, 2007, pp 123-128.
- Caperta, A.D., Neves, N., Viegas, W., Pikaard, C.S., Preuss, S. 2007. Relationships between transcription, silver staining, and chromatin organization of nucleolar organizers in *Secale cereale*. *Protoplasma*, DOI 10.1007/s00709-007-0277-4.
- Carchilan, M, Delgado, M., Ribeiro, T., Costa-Nunes, P., Caperta, A., Morais-Cecílio, L., Jones, R.N., Viegas, W., Houben, A. 2007. Transcriptionally active heterochromatin in rye B chromosomes. *Plant Cell*, 19: 1738-1749. (Faculty 1000 Biology)
- Carneiro, M., Fabião, A., Martins, M.C., Cerveira, M.C., Santos, C., Nogueira, C., Lousã, M., Hilário, L., Fabião, A., Abrantes, M., & Madeira, M. (2007). Species richness and biomass of understory vegetation in a *Eucalyptus globulus* Labill. coppice as affected by slash management. *Eur. J. Forest Res.* 126: 475–480.
- Carneiro, M., Lordelo, M., Falcão, L., Freire, J., 2007. Microbial activity in the gut of piglets: I. Effect of fibre source and enzyme supplementation. *Livestock Science*, 108, 236-239.
- Carvalho, M. O., Mexia, A., Torres, L., 2007. Sequential sampling plans for classifying *Lasioderma serricorne* (F.) (Coleoptera, Anobiidae) status in the cigarette factory in Cape Verde islands. *African Entomology* 15 (1): 37-44.
- Casimiro, S., Tenreiro, R., Monteiro, A. A., 2007. Host-pathogen interactions: Brassica downy mildew, a successful oomycete. In: *Research Signpost, 'Recent Research Developments in Plant Science'*, vol.4, pp.1-40
- Chaves M.M., Santos, T., Souza, C.R., Ortuño, M.F., Rodrigues, M.L, Lopes, C., Maroco, J., Pereira, J.S. (2007) Deficit irrigation in grapevine improves water-use efficiency while controlling vigour and production quality *Ann Appl Biol* 150: 237-252.
- Clemente, A.S., Rego F.C., Correia O.A. (2007) Seed bank dynamics of two obligate seeders, *Cistus monspeliensis* and *Rosmarinus officinalis*, in relation to time since fire. *Plant Ecology* 190 (2): 175-188. IF=1.383, N°C=0
- Cordovil C. M. D. S., Cabral F. & Coutinho J. (2007). Potential mineralization of nitrogen from organic wastes to ryegrass and wheat crops. *BIORESOURSE TECHNOLOGY*, 98: 3265-3268.
- Cordovil C. M. D. S., Coutinho J., Goss M. J. & Cabral F. (2007). Comparison of chemical methods of assessing potentially available organic nitrogen from organic residues applied to a sandy soil. *COMMUNICATIONS IN SOIL SCIENCE AND PLANT ANALYSIS*, 38(7-8): 989-1006.
- COSME, F., J. M. RICARDO-DA-SILVA and O. LAUREANO (2007) – Protein fining agents: characterization and red wine fining assays. *Ital.J.Food Sci.* 1(19):40-56.
- Costa e Silva F, Shvaleva A, Almeida MH, Chaves MM, Pereira JS (2007). Responses to chilling of two *Eucalyptus globulus* clones with contrasting drought resistance. *Funct Plant Biol* 34: 793–802.



Costa e Silva F., Shvaleva A., Almeida M.H., Chaves M.M., Pereira J.S. (2007) Responses to suboptimal temperatures in two *E. globulus* Labill. clones with contrasting drought resistance. *Functional Plant Biology*, 34:794-802

Costa J.M., Chaves M.M., Ortuño, M.F. (2007) Deficit irrigation as a strategy to save water: physiology and potential application to horticulture. *J Integr Plant Biol* 49: 1421-1434.

Cunha-Queda A. C., Ribeiro H. M., Ramos A. & Cabral F. (2007). Study of biochemical and microbiological parameters during composting of pine and eucalyptus bark. *BIORESOURCE TECHNOLOGY*, 98: 3213-3220.

D Alagador, JO Cerdeira, Designing spatially-explicit reserve networks in the presence of mandatory sites, *Biological Conservation* 137 (2007) 254-262.

David, T.S., Henriques, M.O., Kurz-Besson, C., Nunes, J., Valente, F., Vaz, M., Pereira, J.S., Siegwolf, R., Chaves, M.M., Gazarini L.C. e David, J.S. 2007. Water-use strategies in two co-occurring Mediterranean evergreen oaks: surviving the summer drought. *Tree Physiology*, 27 (6): 793-803.

de Varennes A. & Goss M. J. (2007). The tripartite symbiosis between legumes, rhizobia and indigenous mycorrhizal fungi is more efficient in undisturbed soil. *SOIL BIOLOGY & BIOCHEMISTRY*, 39(10): 2603-2607.

de Varennes A., Torres M. O., Cunha-Queda C., Goss M. J. & Carranca C. (2007). Nitrogen conservation in soil and crop residues as affected by crop rotation and soil disturbance under Mediterranean conditions. *BIOLOGY AND FERTILITY OF SOILS*, 44: 49-58.

dos Santos, T.P., C.M. Lopes, M.L. Rodrigues, C.R. de Souza, J.M. Ricardo-da-Silva, J.P. Maroco, J.S. Pereira and M.M. Chaves 2007. Effects of deficit irrigation strategies on cluster microclimate for improving fruit composition of Moscatel field-grown grapevines. *Scientia Horticulturae*. 112:321-330

Esteves B, Marques AV, Domingos I, Pereira H. (2007) Influence of steam heating on the properties of pine (*Pinus pinaster*) and eucalypt (*Eucalyptus globulus*) wood. *Wood Science and Technology*, 41(3): 193-207

Esteves, B., Domingos, I., Pereira, H (2007). Improvement of technological quality of eucalypt wood by heat treatment in air at 170-200°C. *Forest Products Journal*, 57 (1/2), 47-52

Falcão-e-Cunha, L., Castro-Solla, L., Maertens, L., Marounek, M., Pinheiro, V., Freire. J. P. B., Mourão, J. L., 2007 Alternatives to Antibiotic Growth Promoters in Rabbit Feeding: a review. *World Rabbit Science* (In press).

Falcão-Rodrigues, M. M., Moldão-Martins, M., Beirão-da-Costa, M. L., 2007. DSC as a tool to assess physiological evolution of apples preserved by edibles coatings. *Food Chemistry*, 102: 475-480.

Fanguelro D., Chadwick D., Dixon L. & Bol R. (2007). Quantification of priming and CO₂ emission sources following the application of different slurry particle size fractions to a grassland soil. *SOIL BIOLOGY & BIOCHEMISTRY*, 39(10): 2608-2620.

Farinhó, M., Coelho, P., Monteiro, A. A., Leitão, J., 2007. SCAR and CAPS markers flanking the *Brassica oleracea* L. Pp523 downy mildew resistance locus demarcate a genomic region syntenic to the top arm end of *Arabidopsis thaliana* L. chromosome 1. *Euphytica* 157:215-221.

Ferreira, M.T., L. Sousa, J.M. Santos, L. Reino, J. Oliveira, P.R. Almeida & R.V. Cortes. Regional and local environmental correlates of native Iberian fish fauna. *Ecology of Freshwater Fish*, 16:504-514

Ferreira, M.T., N. Caiola, F. Casals, J.M. Oliveira, & A. Sostoa. 2007 Assessing river disturbance in the Iberian Ecoregion using metric response from spatially-based fish-types. *Fisheries Management and Ecology*, 14:519-530



- Ferreira, M.T., N. Caiola, F. Casals, R. Cortes, A. Economou, D. Garcia-Jalon, M. Ilhéu, F. Martinez-Capel, J. Oliveira, D. Pont, J. Prenda, C. Rogers, A. Sostoa & S. Zogaris. 2007. Ecological traits of fish communities from Mediterranean Europe and its implications when assessing human pressure. *Fisheries Management and Ecology*, 14:473-481
- Ferreira, R.B., Monteiro, S., Freitas, R., Santos, C.N., Chen, Z., Batista, L.M., Duarte, J., Borges, A. and Teixeira, A.R. (2007) The role of plant defence proteins in fungal pathogenesis. *Molecular Plant Pathology*, 8: 677-700.
- Freitas, R.L., Teixeira, A.R. and Ferreira, R.B. (2007) Vicilin-type globulins follow distinct patterns of degradation in different species of germinating legume seeds. *Food Chemistry*, 102 : 323-329.
- Gameiro, N., Ferreira-Dias, S., Ferreira M.A.S.S. and Brito, L. (2007). Evolution of *Listeria monocytogenes* populations during the ripening of naturally contaminated raw ewe's milk cheese. *Food Control*, 18: 1258-1262.
- Gomes MI, Martins, MJ Neves, M 2007. Improving second order reduced bias extreme value index estimation, *Revstat - Statistical Journal*, Vol. 5, No. 2, (2007), 177-207
- Gomez-Rey M. X., Vasconcelos E. & Madeira M. (2007). Lysimetric study of eucalypt residue management effects on N leaching and mineralization. *ANNALS OF FOREST SCIENCE*, 64(7): 699-706.
- Gonçalves, E.; St.Aubyn, A.; Martins, A. (2007). Mixed spatial models for data analysis of yield on large grapevine selection field trials. *Theor. Appl. Genet.* 115(5):653-663.
- Gonçalves, J.M., Pereira L.S., Fang S.X., Dong B., 2007. Modelling and multicriteria analysis of water saving scenarios for an irrigation district in the Upper Yellow River Basin. *Agric. Water Manage.* 94(1-3): 93-108.
- Goulão, L. F., Oliveira, C. M., 2007. Molecular identification of novel differentially expressed mRNAs up-regulated during ripening of apples. *Plant Science* 172: 306-318. Impact factor 1.605
- Goulão, L. F., Santos, J., Sousa, I., Oliveira, C. M., 2007. Patterns of enzymatic activity of cell-wall degrading enzymes during growth and ripening of apples. *Postharvest Biology and Technology* 43:307-318. Impact factor 2.015
- Graça, J., Santos, S. 2007. Suberin: a biopolyester of plants' skin. *Macromolecular Bioscience*, 7: 128-135
- Grant OM, Tronina L, Jones HG, Chaves MM, (2007) Thermal imaging successfully detects stress-related differences between grapevine canopies receiving different irrigation. *J Exp Bot* 58: 815-825.
- Guillemain, M., Poisbleau, M., Denonfoux, L., Lepley, M., Moreau, C., Massez, G., Leray, G., Caizergues, A., Arzel, C., Rodrigues, D. & Fritz, H. 2007. Multiple tests of the effect of nasal saddles on dabbling ducks: combining field and aviary approaches. *Bird Study* 54: 35-45
- Halleen F., H.-J. Schroers, J.Z. Groenewald, C. Rego, H. Oliveira & Crous P.W. 2007. *Cylindrocarpum liriodendri*, the main causal agent of black foot disease of grapevines. *Phytopathologia Mediterranea* 46, 108 (abstract)
- Hector A., Joshi J., Scherer-Lorenzen M., Schmid B., Spehn E.M., Wacker L., Bazeley-White E., Beierkuhnlein C., Caldeira M.C., Dimitrakopoulos P., Siaman G., Finn J.A., Huss-Danell K., Jumpponen A., Leadley P.W., Loreau M., Mulder C.P.H., Nebhover C., Palmborg C., Read D.J., Siamantziouras A-S. D., Terry A.C., Troumbis A.Y. (2007) Biodiversity and ecosystem functioning: reconciling the results of experimental and observational studies. *Functional Ecology*/ 21 (5), 998-1002
- Horst, M. G., Shamutalov, Sh. Sh., Gonçalves, J. M., Pereira, L. S., 2007. Assessing impacts of surge-flow irrigation on water saving and productivity of cotton. *Agric. Water Manage.*, 87(2): 115-127.



Jarvis, P., Rey, A., Petsikos, C., Wingate, L., Rayment, M., Pereira, J.S., Banza, J., David, J.S., Miglietta, F., Borghetti, M., Manca, G. e Valentini, R. 2007. Drying and wetting of Mediterranean soils stimulates decomposition and carbon dioxide emission: the "Birch effect". *Tree Physiology*, 27 (7): 929-940.

JONES R.N., VIEGAS, W. and HOUBEN; A. 2007. A Century of B Chromosomes in Plants: So What? *Annals of Botany*, 1-9.

Jordão AM, JM. Ricardo-da-Silva and O .Laureano (2007) Ellagitannins from Portuguese oak wood (*Quercus pyrenaica* Willd.) used in cooperage: influence of geographical origin, coarseness of the grain and toasting level. *Holzforshung*, 16:155-160.

Jorge EO (Jorge, E. O.), Neto MMM (Neto, M. M. M.), Rocha MM (Rocha, M. M.) (2007). A mercury-free electrochemical sensor for the determination of thallium(I) based on the rotating-disc bismuth film electrode. *Talanta*, 72(4) 1392-1399.

Knapic, S., Louzada, J.L., Leal S & Pereira H (2007). Radial variation of wood density components and ring width in cork oak trees. *Annals of Forest Science* 64(2): 211-218.

Lamaddalena, N., Pereira, L. S., 2007. Assessing the impact of flow regulators with a pressure-driven performance analysis model. *Agric. Water Manage.*, 90(1): 28-35.

Lamaddalena, N., Pereira, L.S., 2007. Pressure-driven modeling for performance analysis of irrigation systems operating on demand. *Agric. Water Manage.*,90(1): 36-44.

Leal, S; Sousa, V.B. & Pereira, H. (2007). Radial variation of vessel size and distribution in cork oak wood (*Quercus Suber* L.). *Wood Science and Technology*, 41(4): 339-350

Leitao L., Bethenod O., Biolley J. P. (2007). The impact of ozone on young maize (*Zea mays* L.) plants: effects on biomass, pigmentation and carboxylases (PEPc and Rubisco), *Plant Biology*, 9, 478-488

Leitao L., Delacôte E., Dizengrel P., Le Thiec D., Biolley J. P. (2007). Assessment of the impact of increasing concentrations of ozone on photosynthetic components of maize (*Zea mays* L.), a C4 plant. *Environmental Pollution*, 146, 5-8

Leitao L., Maoret J.J., Biolley J. P. (2007). Using real-time RT-PCR to monitor changes in PEP carboxylase, Rubisco and Rubisco activase mRNA levels from maize (*Zea mays* L.) exposed to a chronic ozone stress, *Biological Research*, 40, 137-153

Lopez-Pineiro A., Murillo S., Barreto C., Munoz A., Rato J. M., Albarran A. & Garcia A. (2007). Changes in organic matter and residual effect of amendment with two-phase olive-mill waste on degraded agricultural soils. *SCIENCE OF THE TOTAL ENVIRONMENT*, 378(1-2): 84-89.

Lordelo, M. M., Calhoun, M. C., Dale, N. M., Dowd, M. K., Davis, A. J., 2007. Relative Toxicity of Gossypol Enantiomers in Laying and Broiler Breeder Hens. *Poultry Science* 86:582-590.

Martins, H. and J. G. Borges. 2007. Addressing collaborative planning methods and tools in forest management. *Forest Ecology and Management* 248: 107-118.

MCGUIRE MA, CERASOLI S, TESKEY RO. 2007. Rates of CO2 fluxes and respiration of detached shoot segments of sycamore (*Platanus occidentalis* L.) are affected by rates of artificial sap flow shoot diameter and temperature. *J.Exp. Bot.* 58:2159-2168

Menino MR, Carranca C, Varennes A de 2007 Distribution and remobilization of nitrogen in young non-bearing orange trees grown under Mediterranean conditions. *Journal of Plant Nutrition* 30:1083-1096.



Merlot S, Leonhardt N, Fenzi F, Valon C, Costa M, Piette M, Vavasseur A, Genty B, Boivin K, Müller A. (2007). Constitutive activation of a plasma membrane H⁺-ATPase prevents abscisic acid-mediated stomatal closure. *The EMBO J*: 26: 3216–3226

MIRA, H.; P., LEITE; S. CATARINO; J.M., RICARDO-DA-SILVA; A.S. CURVELO-GARCIA (2007) – Metal reduction in wine using PVI-PVP copolymer and its effects on chemical and sensory characters. *Vitis*, 46 (3): 138-147.

Miranda, I., Gominho, J., Lourenço, A. & Pereira, H. (2007). Heartwood, extractives and pulp yield of three *Eucalyptus globulus* clones grown in two sites, *Appita Journal*.60(6): 485-500

Monteiro A. & Lopes C.M. 2007 Influence of cover crop on water use and performance of vineyard in Mediterranean Portugal. *Agriculture, Ecosystems and Environment*, 121, 336-342

Monteiro, S., Piçarra-Pereira, M.A., Loureiro, V., Teixeira, A. and Ferreira, R.B. (2007) The diversity of pathogenesis-related proteins decreases during grape maturation. *Phytochemistry*, 68 : 416-425.

Morais, C.M. & Pereira, H. (2007). Heartwood and sapwood variation in *Eucalyptus globulus* Labill. Trees at the end of rotation for pulpwood production. *Annals of Forest Science* 64: 665-671.

Moreira E.E., Paulo A.A., Pereira L.S., 2007. Is drought occurrence and severity increasing due to climate change? Analysing drought class transitions with loglinear models. In: G. Rossi, T. Vega, B. Bonaccorso (eds.) *Methods and Tools for Drought Analysis and Management*. Springer, Dordrecht, pp. 67-81.

Moreira, F. and Russo, D. (2007) Modelling the impact of agricultural abandonment and wildfires on vertebrate diversity in Mediterranean Europe. *Landscape Ecology* 22: 1461-1476. IF= 2.558; n^o C=0

Moreira, F., Duarte, I., Catry, F., Acácio, V. (2007). Cork extraction as a key factor determining post-fire cork oak survival in a mountain region of Southern Portugal. *Forest Ecology and Management*, 253: 30-37. IF=1.839, N^o C=0

Mota, M., Tavares, L., Oliveira, C. M., 2007. Identification of S-alleles in pear (*Pyrus communis* L) cv. 'Rocha' and other European cultivars. *Scientia Horticulturae* 113:13-19

Moura, P, R. Barata, F. Carvalheiro, F. Gírio, M.C. Loureiro-Dias and M.P. Esteves. 2007. In vitro fermentation of xylo-oligosaccharides from corn cobs autohydrolysis by *Bifidobacterium* and *Lactobacillus* strains, *LWT – Food Science and Technology*. 40, 963-972.

Moura, P., Marques, S., Alves, L., Freire, J. P. B., Cunha, L. F., Esteves, M. P., 2007. Effect of xylo-oligosaccharides from corn cobs autohydrolysis on the intestinal microbiota of piglets after weaning. *Livestock Science*, 108, 244-248.

Nadezhda, N., Nadezhdin, V., Ferreira, M.I., Pitacco, A., 2007. Variability with xylem depth in sap flow in trunks and branches of mature olive trees. *Tree Physiology* 27: 105-113.

Nascimento T, Cardoso F, Rego C, Oliveira H. 2007. Presence of double-stranded RNA molecules in *Cylindrocarpus lirioidendri* isolates infecting grapevine. *Phytopathologia Mediterranea* 46 (1): 120-120 (Abstract)

Nascimento T, Rego C, Oliveira H. 2007. Potential use of chitosan in the control of grapevine trunk diseases. *Phytopathologia Mediterranea* 46 (2): 218-224.

Neto C., Capelo J., Costa J.C. & Sérgio C. (2007). The ADIANTETEA class on the cliffs of SW Portugal and the Azores. *Phytocoenologia* 37 (2): 221-237.

"Nunes J. M., Lopez-Pineiro A., Albarran A., Munoz A. & Coelho J. (2007). Changes in selected soil properties caused by 30 years of continuous irrigation under Mediterranean conditions. *GEODERMA*, 139(3-4): 321-328.

"



Nunes J. R., Cabral F. & Lopez-Pineiro A. (2008). *Solanum lycopersicon* Mill. and *Nicotiana benthamiana* L. under high light show distinct responses to anti-oxidative stress. *BIORESOURCES TECHNOLOGY*, 99(11): 4935-4942.

Oliveira, P.B., Silva, M.J., Ferreira, R.B., Oliveira, C.M., and Monteiro, A.A. (2007) Dry matter partitioning, carbohydrate composition, protein reserves and fruiting in 'Autumn Bliss' red raspberry vary in response to pruning date and cane density. *HortScience*, 42 : 77-82.

Otieno, D., M.W.T. Schmidt, C. Kurz-Besson, R. Lobo-do-Vale, J.S. Pereira and J. Tenhunen 2007. Regulation of transpirational water loss in *Quercus suber* trees in a Mediterranean-type ecosystem. *Tree Physiology*. 27:1179-1187.

P Barcia, M Bugalho, ML Campagnolo, JO Cerdeira (2007). Using N-alkanes to estimate diet composition of herbivores: a novel mathematical approach, *Animal (Farming Systems and Environment)*, 1:141-149.

Palavra A. M. F., Cardoso M. A. T., Coelho J. A. P. & Mourato M. F. B. (2007). Density measurements of fluids and their mixtures at high pressure. *CHEMICAL ENGINEERING & TECHNOLOGY*, 30(6): 689-694.

Pampulha, ME;M.A.S.S.Ferreira;A.Oliveira (2007). Effects of a phosphinothricin based herbicide on selected groups of soil microorganisms. *Journal of Basic Microbiology*, 47, 325-331

Paulo, A. A., Pereira, L. S., 2007. Prediction of SPI drought class transitions using Markov chains. *Water Resources Manage.*, 21:1813-1827.

Pereira L.S., 2007. Drought impacts in agriculture: water conservation and water saving practices and management. In: G. Rossi, T. Vega, B. Bonaccorso (eds.) *Methods and Tools for Drought Analysis and Management*. Springer, Dordrecht, pp. 347-371.

Pereira L.S., Rosa R.D., Paulo A.A., 2007. Testing a modification of the Palmer drought severity index for Mediterranean environments. In: G. Rossi, T. Vega, B. Bonaccorso (eds.) *Methods and Tools for Drought Analysis and Management*. Springer, Dordrecht, pp. 149-167.

Pereira, J.S., J.A. Mateus, L.M. Aires, G. Pita, C. Pio, J.S. David, V. Andrade, J. Banza, T.S. David, T.A. Paço and A.M. Rodrigues 2007. Net ecosystem carbon exchange in three contrasting Mediterranean ecosystems - the effect of drought. *Biogeosciences*. 4(5):791-802.

Pereira, L.S., Gonçalves, J. M., Dong B., Mao Z., Fang S. X., 2007. Assessing basin irrigation and scheduling strategies for saving irrigation water and controlling salinity in the Upper Yellow River Basin, China. *Agric. Water Manage.* 93(3): 109-122.

Pires, V. M. R., Fontes, C. M. A., Ferreira, L. M. A., Guerreiro, C. I. P. D., Cunha, L. F., Freire, J. P. B., 2007. The effect of enzyme supplementation on the true ileal digestibility of a lupin based diet for piglets. *Livestock Science*, 109, 57-59.

Pires-Cabral, P., da Fonseca, M. M. R.; Ferreira-Dias, S., 2007. Modelling the Production of Ethyl Butyrate Catalysed by *Candida rugosa* Lipase Immobilised in Polyurethane Foams, *Biochemical Engineering Journal*, 33: 148-158

Pontes O, Lawrence RJ, Silva M, Preuss S, Costa-Nunes P, et al (2007) Postembryonic Establishment of Megabase-Scale Gene Silencing in Nucleolar Dominance. *PLoS ONE*, 2: e1157. doi:10.1371/journal.pone.0001157.

Prista, C., J. C. González-Hernández, J. Ramos and M.C. Loureiro-Dias. 2007. Cloning and characterization of two K⁺ transporters of *Debaryomyces hansenii*. *Microbiology*. 153: 3034-3043.

Reyjol, Y., B. Hugueny, D. Pont, P.G. Bianco, U. Beier, N. Caiola, F. Casals, I. Cowx, A. Economou, M.T. Ferreira, G. Haidvogel, R. Noble, A. Sostoa, T. Vigneron & T. Virbickas. Patterns in species richness and endemism of European freshwater fish. *Global Ecology and Biogeography*, 16:, 65-75



Ribeiro H. M., Romero A. M., Pereira H., Borges P., Cabral F. & Vasconcelos E. (2007). Evaluation of a compost obtained from forestry wastes and solid phase of pig slurry as a substrate for seedlings production. *BIORESOURCES TECHNOLOGY*, 98,3294-3297.

Ribeiro, N.A.; Surovy P.; Oliveira A.C.; Pinheiro, A.; Neves, N.; Ferreira, A.G.; (2007) - ECCORK Modelo de apoyo a la decision para la gestion sostenible de los alcornoques. In *Europa Cork*. 30:26–28.

Rocheta M, Dionsio FM, Fonseca L, Pires AM. (2007) Paternity analysis in Excel. *Comput Methods Programs Biomed*. 88:234-238.

Romeiras M.M., Cotrim H.C., Duarte M.C. & Pais M.S. 2007. Genetic variation of three endangered species of *Echium* L. (Boraginaceae) endemic to Cape Verde islands. *Biodiversity and Conservation* 16(2): 547-566. <http://dx.doi.org/10.1007/s10531-006-6734-0>

Sa, A.C.L., J.M.C. Pereira and R.H. Gardner (2007). Analysis of the relationship between spatial pattern and spectral detectability of areas burned in southern Africa using satellite data. *International Journal of Remote Sensing* 28(16): 3583–3601.

Santos H., Rousselet J., Magnoux, E., Paiva, M.R., Branco, M., Kerdelhue C. 2007 Genetic isolation through time: allochronic differentiation of a phenologically atypical population of the pine processionary moth. *Proceedings of the Royal Society B: Biological Sciences*.

Santos, S., Schreiber, L., Graca, J. 2007. Cuticular waxes from ivy leaves (*Hedera helix* L.): analysis of high-molecular weight esters. *Phytochemical Analysis*, 18: 60-69

Schmutz, S., U. Beier, J. Bohmer, J. Breine, N. Caiola, M.T. Ferreira, C. Frangez, D. Goffaux, G. Grenouillet, G. Haidvogel, J. de Leeuw, A. Melcher, R.A.A. Noble, J. Oliveira, N. Roset, I. Simoens, A. Sostoa & T. Virbickas. 2007. Spatially-based assessment of the ecological status in European ecoregions. *Fisheries Management and Ecology*, 14:441-452

Shatalov A. A., Pereira H. (2007). Polysaccharide degradation during ozone based TCF bleaching of non-wood organosolv pulps. *Carbohydrate Polymers*, 67(3): 275-281.

Shatalov A. A., Pereira H. (2007). Xylanase pre-treatment of giant reed organosolv pulps: Direct bleaching effect and bleach boosting. *Industrial Crops and Products*, 25(3) 248-256

Silva-Perez D*, Guillemain A, Alazard P, Plomion C, Rozemberg P, Rodrigues J, Alves A, Chantre G. 2007. Improvement of *Pinus pinaster* wood elite trees selection by combining near infrared spectroscopy and genetic tools. *Holzforschung*. 61:611-622.

Sofia J, Goncalves MT, Rego C, Oliveira H. 2007. Physiological effects of esca-related fungi on in vitro plants of grapevine cultivar Baga. *Phytopathologia Mediterranea* 46 (1): 121-121 (Abstract).

Sousa-Correia C, Alves A, Rodrigues J*, Ferreira-Dias S, Abreu JM, Maxted N, Ford-Lloyd B, Schwanninger M. 2007 Oil content estimation of single kernel of *Quercus* sp. acorns by near infrared (NIR) spectroscopy and partial least squares regression (PLSR). *Journal of Near Infrared Spectroscopy*. 15, 247-260

Sousa-Correia, C. M., Abreu, J.M., Ferreira-Dias, S., Rodrigues, J.C., Alves, A., Maxted, N., Ford-Lloyd, B. (2007) Linking conservation to sustainable use of underutilized crops: enhancing productivity of *Q. ilex* subsp. *rotundifolia* (Lam) O. Schwarz in traditional agro-sylvo-pastoral systems in Southern Portugal, In: *Crop Wild Relative Conservation and Use*. (N. Maxted et al., eds.), chapter 47, CAB International, Oxford Press, pp. 634-644.

Soveral, G., A. Madeira, M.C. Loureiro-Dias and T. F. Moura. 2007. Water transport in intact yeast cells assessed by fluorescence self quenching. *Applied and Environmental Microbiology*,. 73, 2341-2343.



V.D. Alves, I.M. Coelho, Study of mass and heat transfer in the osmotic evaporation process using hollow fibre membrane contactors, *J. Membr. Sci.*, 289 (2007) 249-257

Viegas, W., Silva, M., Neves, N. 2007. Epigenetics: the functional memory of ribosomal genes. In: *A Portrait of State-of-art Research at the Technical University of Lisbon*, Pereira, M.S. (ed.) Springer, Netherlands, pp. 251-257.

Vilela B.J, Carvalho L C., Ferreira J and Amâncio S (2007) Gain of function of stomatal movements in rooting *Vitis vinifera* L plants: regulation by H₂O₂ is independent of ABA before the protruding of roots. *Plant Cell Rep* 26: 2149-2157